1969 AUTHORS INDEX

Asterisk indicates abstract

Ackerman, S. A. See Boyd, R. E., 737

Adatepe, M., Studer, R., Welch, M. and Potchen, E. J. Closed system preparation of ^{113m}In compounds, 318*

Adatepe, M.
See Studer, R.
See Welch, D.
See Wochner, D.

Addario, D. See Maynard, C. D.

Adelberg, H. See Nicoloff, J. T.

Agnew, J. E. See Melmed, R. N.

Agnoli, A. See Fazio, C.

Albert, S. N. See Varrone, E.

Alexander, E. See Kelly, D.

Alexander, G. W. Yields from ^{99m}Tc generators, 456*

Alexander, W. D. See Shimmins, J. G.

Allen, F. H.
See Morel, D. E.
See Verdon, T. A.

Ammerman, E. G. See Usher, M. S.

Anagnostopoulos, L. See Henegar, G. C.

Anderson, J. T. See Vogel, J. M.

Anger, H. O.
See McRae, J.
See Ronai, P.
See Yano, Y.

Anghileri, L. J. Metabolic fate of ^{31}C-β-glycerophosphate complex, 318*

Antar, M. A., Spencer, R. P., Hersh, T. and Rhodes, F. Fat malabsorption using ^{14}C-fatty acids, 385*

Aquino, J. A., Cunningham, R. M. and Youssef, N. R. ^{169}Yb-DTPA complex for renal studies, 385*

Archer, E. G., Potchen, E. J., Studer, R. and Siegel, B. Distribution of ^{125}I-toluidine blue in the rat, 386*

Argueta, C. See Eberstadt, P. L.

Arimizu, N. and Morris, A. C. Quantitative measurement by area scanning, 265

Armaly, G. See Fawwaz, R.

Arnold, J. S. Liver cyst and tumor differentiation by ^{99m}Tc bolus, 319*

Aronson, S. See Fish, M. B.

Ashburn, W.
See Levy, B. S.
See Harbert, J. C.

Ashkar, F. S., Katims, R. B., Smoak, W. M. and Reid, E. L. Plasmapheresis treatment of thyrotoxic crisis, 319*

Atkins, H. L., Hauser, W. and Richards, P. Distribution of ^{99m}Tc-sulfur colloid, 319*

Atkins, H. L., Richards, P. and Hauser, W. Five years of experience with ^{99m}Tc-sulfur colloid, 387*

Atkinson, F. F. V. See Young, J. D.

Azuara, N. J. A. See Callejas, R. F.

Bahr, G. See Goldsmith, R. E.

Balcius, J. F. See Petushkov, A. A.

Bakos, K. See Farmelant, M. H.

Banever, C. See Spencer, R. P.

Barak, A. J. See Blotcky, A. J.

Barclay, T. R. and Morris, A. C. Measuring size of radioactive colloid particles, 387*

Bass, B. G. See Phillips, R. A.

Bass, J. C. See Samuels, L. D.

Bauer, G. C. H. and Smith, E. M. ^{85}Sr scanning in osteoarthritis of the knee, 109

Bava, G. L. See Fazio, C.

Beaver, J. E.
See Goodwin, D. A.
See Hupf, H. B.

Beck, C. See Bernadou, J.

Beck, R. N.
See Harper, P. V.
See Lembares, N.
See Reddy, M.

Becker, D. See Bernstein, G. A.

Beckner, W. M., Strickland, G. T., Leu, M. L. and O'Reilly, S. ^{67}Cu in Wilson's disease, 320*

Beierwaltes, W. H., Varma, V. M., Lieberman, L. M., Boyd, C. M. and Counsell, R. E. Uptake of ^{14}C-cholesterol in adrenal cortex, 387*

Beierwaltes, W. H.
See Boyd, C. M.
See Lieberman, L. M.
See Thomas, F. D.
See Varma, V. M.

Bekerman, C. See Touya, E.

Bell, E. G., Noe, M. F., Constable, W. C. and McAfee, J. G. Local radiation damage to bone and marrow, 320*

Bell, E. G., Subramanian, G. and McAfee, J. G. Localization of colloid as affected by electrophoretic mobility, 387*

Bell, E. G., Subramanian, G., Ross, G. S. and McAfee, J. G. Gamma cisternography, 321*

Bell, E. G. See Subramanian, G.

Benda, P. See Roda, J. E.

Bennett, L. R.
See Larson, J. M.
See Surprenant, E.
See Webber, M. M.

Ben-Porath, M., Clayton, G. D. and Kaplan, E. Dual-channel color scanning, 155

Ben-Porath, M. and Kaplan, E. ^{75}Se-L-selenocystine in the hypothalamus, 321*

Ben-Porath, M. and Kaplan, E. ^{75}Se-selenomethionine distribution in man, 709

Ben-Porath, M.
See Fink, S.
See Kaplan, E.
See Little, A. E.

Benua, R. S. See Sayle, B. A.

Bergeron, D. A. See Christopherson, W. J.

Bernard, J. D., McDonald, R. A. and Verdon, T. A. Interpretation of brain scans for subdural hematoma, 322*

Bernadou, J., Beck, C., Freour, P. and Blanquet, P. Evaluation of pulmonary function, 174

Bernstein, G. A., Fingerhut, A. G. and Becker, D. $^{99m}TcO_4^-$ in the treatment of hydrocephalus, 322*

Bernstein, R. G. See Freeman, L. M.

Berry, H. E. See Goldsmith, R. E., 722

Beschi, R. J. See Kontzen, F. N.

Bettigole, R. E., Himelstein, E. S., Clifford, G. O. and Mayer, K. Autologous ^{131}I-fibrinogen survival, 322*

Bilodeau, L. See Surprenant, E. L.

Binet, E. F. See Loken, M. K.

Bing, R. J.
See Boettcher, D.
See Goldschlager, N.

Binopoulos, D. See Kostamis, P.

Blahd, W. H. See Tubis, M.

Blank, R. J. and Tyson, I. B. ^{131}I-MAA for intrahepatic tumors, 514

Blanquet, P. See Bernadou, J.

Blau, L. M. and Cahill, P. T. 3-D representation of isotope deposition in the knee, 388*

Blaufox, M. D. Simplified GFR method, 297

Blaufox, M. D. See Freeman, L. M.

Block, M. A. See Miller, J. M.

Blosser, N. M. See Jackson, G. L.

Blotcky, A. J. and Barak, A. J. Choline intake and ^{54}Mn retention, 388*

Blue, J. W. See Sodd, V. J.

Bodfish, R. E. See Leins, P. A.

Boettcher, D., Corsini, G., Daniels, C. G., Cowan, C. and Bing, R. J. Myocardial blood flow determined with ^{84}Rb, 83

Bogardus, C. See Ficken, V.

Bonner, W. A. See Kriss, J. P.

Bonte, F. J. and Christensen, E. E. Radionuclide coronary cineangiography, 323*

Bonte, F. J. and Curry, T. S. ^{99m}Tc-angiograms of the pancreas, 389*

Bosniak, M. A. See Freeman, L. M.

Botti, R. E. See Razzak, M. A.

Bouchier, I. A. D. See Melmed, R. N.

Bower, R. E. See Nelp, W. B.

Boyd, C. M., Lieberman, L. M., Beierwaltes, W. H. and Varma,

V. M. Radioiodinated chloroquine analog in malignant melanoma, 323*
Boyd, C. M.
See Beierwaltes, W. H.
See Lieberman, L. M.
See Varma, V. J.
Boyd, R. E., Ackerman, S. A., Morris, J. G. and Huberty, J. P. ^{99m}Tc $Fe(OH)_3$ macroaggregates, 737
Bozzao, L. See Fazio, C.
Bradley, B. R. See DeNardo, G. L.
Brady, L. W.
See Honda, T.
See Lam, S.
Brandly, J. M. See Henegar, G. C.
Branson, B. M. See Sodd, V. J.
Braverman, L. E. and Foster, A. E. Coumadin effect on thyroid hormone binding, 511
Briggs, R. C. See Sorenson, J. A.
Brill, A. B., Williams, H., Cook, W., Watts, J. R., Johnston, R. E., Nash, R. and Staab, E. V. Imaging evaluation with simulated data, 389*
Brill, A. B. See Patton, J.
Brody, K. R. See Spencer, R. P.
Brown, D. W. and Groome, D. S. Digital computer analysis and display, 389*
Brown, D. W.
See Cleaveland, J. D.
See Groome, D. S.
Brown, J. M. See Cliggett, P. A.
Brown, M. F. and Hughes, R. Combined heart and lung scanning in pericardial effusion, 390*
Brown, W. R. See Wilcox, F. W.
Brownell, G.
See Wilensky, S.
See Petushkov, A. A.
Brunner, P. N., Kann, D. E. and Peterson, R. E. Lymph node imaging with ^{99m}Tc-S colloid, 390*
Bryant, N. See Crews, M. C.
Buchanan, J. W., Rhodes, B. A. and Wagner, H. N. ^{113m}In-albumin microspheres, 487
Bugby, R. D. See Loken, M. K.
Burdine, J. A., Legeay, R., Ryder, L. and Sonnemaker, R. The modified Anger scintillation camera, 324*
Burdine, J. A., Waltz, T. A., Matsen, F. A. and Rapp, F. ^{113m}In and ^{99m}Tc in experimental cerebral lesions, 290
Burdine, J. A., Werch, A. and Ryder, L. ^{113m}In-gelatin complex for placental localization, 324*
Burdine, J. A. See Sano, R.
Burger, C. L. See O'Mara, R. E.
Burke, G., Halko, A. and Goldberg, D. $^{99m}TcO_4^-$ cardiac blood-flow studies, 270
Burke, G., and Silverstein, G. Post-radioiodine myxedema, 325*
Burrows, B. A. See Farmelant, M. H.
Burry, C. See Lucis, O. J.
Burstein, S. See Solaric, E.
Bush, P. See Martinez-Villaseñor, D.
Byrd, B. L. See Hayes, R. L.
Byrnes, D. J. See Young, J. D.
Cahill, P. T. See Blau, L. M.
Callejas, R. F., Azuara, N. J. A., Salazar, H. E. O. and de Tobon, L. C. Therapy of progressive malignant exophthalmos with ^{131}I, 390*
Cameron, J. R. See Sorenson, J. A.
Cannon, P. J. See Johnson, P. M.
Cantor, R. E., Cohn, E. M., Shapiro, B. and Park, C. H. Liver scanning with ^{99m}Tc-S and ^{198}Au, 391*
Carey, J. E. See Lieberman, L. M.
Carlson, J. C. and Parrish, G. D. Joint computer-camera instrument, 325*
Carlton, J. E. See Hayes, R. L.
Carulli, N. See Kaihara, S.
Casarett, G. See Rubin, P.
Case, L. See Remenchik, A. P.
Cassen, B. Nonfocused collimator for 3-D scanning, 391*
Castle, J. N. See Cavalieri, R. R.
Castronovo, F. P., Reba, R. C. and Wagner, H. N. ^{137m}Ba-EDTA infusion system, 242
Cavalieri, R. R., Castle, J. N. and Searle, G. L. Free-thyroxine in serum, 565
Cavalieri, R. R. See Searle, G. L.
Cejas, C. See Fischer, D. S.
Cervantes, L. See Eberstadt, P. L.
Charkes, N. D. TSH and ^{131}I uptake in Graves' disease, 246
Charkes, N. D. Stereoscintiphotography of brain and thyroid, 326*
Charkes, N. D. Bone scans with ^{87m}Sr and ^{85}Sr, 491
Charkes, N. D. Dosimetry of ^{132}I, 752
Charleston, D. B. See Porter, J. W.
Chaudhuri, T. K. and Spencer, R. P. Dual labeling of erythrocytes with ^{75}Se and ^{59}Fe, 122
Chaudhuri, T. K., Winchell, H. S. and Lawrence, J. H. Platelet aggregation in determining therapy, 392*
Cheng, H. F., Peterson, R. E. and Evans, T. C. ^{75}Se-selenomethionine incorporation in lymphocytes, 63
Cheng, H. F. and Peterson, R. E. Metabolic fate of radioiodinated lymphocytes, 326*
Chernelch, M., Fawwaz, R., Sargent, T. and Winchell, H. S. Colonic absorption of ^{59}Fe in dogs, 392*
Chin, F. K. See Kennady, J. C.
Chisholm, D. J. See Young, J. D.
Chodos, R. B., Streeten, D. H. P., Doisy, R. J., Rekant, S., Dalakos, T. and Fellerman, H. $^{51}Cr^{3+}$ absorption in elderly and diabetic subjects, 393*
Christensen, E. E. See Bonte, F. J.
Christie, J. H. and MacIntyre, W. J. Computer analysis of thyroid scans, 393*
Christie, J. H. and MacIntyre, W. J. Response of collimators to a line source, 394*
Christopherson, W. J., Bergeron, D. A. and Verdon, T. A. Liver scans with ^{99m}Tc-colloid, 327*
Christopherson, W. J. and Verdon, T. A. Lung scans with ^{99m}Tc-MAA, 394*
Chu, F. See Greenberg, E.
Ciccio, S. S. See Farrer, P. A.
Clawser, S. Book review, 609
Clayton, G. D.
See Ben-Porath, M.
See Fink, S.
Cleaveland, J. D., Genton, E., Hellman, H. N., Walton, B. and Brown, D. W. Simplified method for platelet survival, 395*
Cleaveland, J. D., Wissenburg, A. L. and Mansfield, T. P. Multicrystal brain scanner, 456*
Clevenger, M. See Goswitz, F. A.
Clifford, G. O. See Bettigole, R. E.
Cliggett, P. A. and Brown, J. M. Assay of radioactive materials, 612
Cohen, M. B. Desk-top digital computer, 327*
Cohen, M. B. and Spolter, L. Stability of ^{99m}Tc-S colloid, 395*
Cohen, T. D. See Sanders, T. P.
Cohn, E. M. See Cantor, R. E.
Cohn, H. J. and Soiderer, M. H. Tissue vascularity in brain scans, 553
Coiner, D. and Walsh, J. R. Plasma level of ^{57}Co-vitamin B_{12}, 457*
Cole, R. E. See Kennady, J. C.
Collins, P. A. See McCarty, D. J.
Colombetti, L. G. and Goodwin, D. A. ^{68}Ga-labeled macroaggregates for lung imaging, 328*
Colombetti, L. G. and Goodwin, D. A. Chemistry of ^{68}Ga-EDTA complex, 396*
Colombetti, L. G., Goodwin, D. A. and Hermanson, R. ^{113m}In for liver and spleen, 597
Colombetti, L. G., Goodwin, D. A. and Hinkley, R. L. Preparation of sterile radiopharmaceuticals, 633
Colombetti, L. G. See Goodwin, D. A.
Comas, F. V. See Vodopick, H.
Constables, W. C. See Bell, E. G.
Constantinides, C., Kostamis, P., Sfontouris, J. and Malamos, B. Metabolic studies of ^{169}Yb, 396*
Constantinides, C. See Kostamis, P.
Cook, W. See Brill, A. B.
Cook, W. E. See Patton, J.
Cooper, J. F. and Stern, H. S. Sterile ^{99m}Tc-albumin "kit," 328*
Coppler, M.
See Franco, J.
See Kovaleski, B.
Cornelius, E. A. and Spencer, R. P. Effects of supralethal irradiation through parabiosis, 328*
Cornelius, E. A. and Spencer, R. P. Pathologic physiology of graft-versus-host reactions, 396*
Cornelius, E. A. See Spencer, R. P.
Cornell, L. H. See Telfer, N.
Corsini, G.
See Boettcher, D.
See Goldschlager, N.
Costello, C. See Holman, B. L.
Counsell, R. E.
See Beierwaltes, W. H.

See DiGiulio, W.
See Varma, V. M.
Cowan, C.
See Boettcher, D.
See Goldschlager, N.
Cowan, J. S., Schachter, D. and Hetenyi, G. Tracer method for glucose turnover, 98
Cowan, R. J. See Maynard, C. D.
Cradduck, T. D. MTF for a scintillation camera, 397*
Cradduck, T. D. and Duggan, H. E. Effect of skull plates on postoperative brain scans, 140
Cragin, M. D., Webber, M. M., Victery, W. K. and Pintauro, D. ^{99m}Tc-S and HSA for lung imaging, 621
Cragin, M. D. See Webber, M. M.
Crews, M. C., Quinn, J. L. and Bryant, N. Radiopharmaceutical quality-control, 558
Crews, M. C., Westerman, B. R. and Quinn, J. L. Determination of blood volume using acid ^{113m}In, 397*
Crist, J., Simmons, G. H. and Wellman, H. N. Radioisotope contamination in ^{123}I for thyroid, 457*
Croll, M. N. See Honda, T.
Cronquist, S. See Paulson, O. B.
Crowley, L. G. See DeNardo, G. L.
Cuarón, A. Serum thyroxine analysis, 532
Cummings, G. T. See Lucis, O. J.
Cunningham, R. M. See Aquino, J. A.
Curry, T. S. See Bonte, E. J.
Dalakos, T. See Chodos, R. B.
D'Altorio, R. A. See McAllister, J. D.
Daniels, C. G. See Boettcher, D.
Darin, J. C. See Holmes, R. A.
da Rocha, A. F. G. Renal function in schistosomiasis, 398*
Davis, M. A. and Little, J. B. RBE in ^{10}B-fission therapy, 329*
Davis, R. P. See Lawrence, C. A.
DeBoer, A. See Henegar, G. C.
DeGinder, W. L. Radiotherapy phantoms, 398*
DeGrazia, J. A., Fish, M. B., Pollycove, M., Wallerstein, R. O. and Hollander, L. Oxidation of serine in folate and vitamin B_{12} deficiency, 329*
Dekaban, A. S. Effect of x-radiation on brain, 68
de Kock, H. W. See Hunter, W. W.
Delahey, J. E. See Yeh, S. H.
DeLand, F. H. and Wagner, H. N. CVA in brain scans, 330*
DeLand, F. H. See Poulose, K. P.
DeNardo, G. L., Crowley, L. G., Helikson, M. A. and Duwe, S. A. Liver blood flow with ^{133}Xe, 330*
DeNardo, G. L., Goodwin, D. A. and Bradley, B. R. Regional ventilation in pulmonary embolism, 331*
Derr..an, A. See Freeman, L. M.
Derntl, F. See Goldschlager, N.
de Tobon, L. C. See Callejas, R. F.
DiChiro, G. See Miraldi, F.
DiGiulio, W., Counsell, R. E. and Skinner, R. W. S. Distribution of ^{125}I-phenylalanine, 398*
DiGiulio, W. See Ramagopol, E.
Dillman, L. T. Decay schemes and nuclear parameters, MIRD Pamphlet #4
Dimich, A.
See Greenberg, E.
See Weber, D. A.
DiOrio, V. J. and Mishkin, F. S. Renal scan and renovascular hypertension, 399*
DiSantis, D. E. See Remenchik, A. P.
Doisy, R. J. See Chodos, R. B.
Dolan, C. T. See Tauxe, W. N.
Dolovich, M. See Newhouse, M. T.
Dombrowski, C. See Johnson, P. M.
Domek, N. S. and Loken, M. K. Quality-control of ^{99m}Tc-S colloid, 399*
Domingo, M. B. and Kaplan, E. ^{198}Au standard in intestinal absorption tests, 331*
Domingo, M. B. See Kaplan, E.
Donbo, D. S. See Yano, Y.
Donnelly, W. J. See Remenchik, A. P.
Dore, E. K. See Poe, N. D.
dos Remedios, L. See Weber, P. M.
Driscoll, T. B. Double-tag blood volumes, 400*
Dronkert, A. See Franco, J.
Duggan, H. E. See Cradduck, T. D.
Duwe, S. A. See DeNardo, G. L.
Dworak, C. Patient-technologist relationships, 458*
Dwyer, A.
See Greenberg, E.
See Mayer, K.
Eaton, S. B., James A. E., Greene, R. E., Lyons, J. H., Potsaid, M. S. and Fleischner, F. G. Pulmonary perfusion, 571
Eberstadt, P. L. Simplified GFR method, 298
Eberstadt, P. L., Skomne, G., Maass, R., Cervantes, L. and Argueta, C. GFR with ^{113m}In-EDTA, 400*
Ebert, R. See Loken, M. K.
Edgar, W. H. See Wilcox, F. W.
Edwards, C. L. and Hayes, R. L. Tumor scanning with ^{67}Ga citrate, 103, 322*
Edwards, C. L.
See Hodges, H. D.
See Vodopick, H.
Eister, W. K. See Sutton, J. D.
Emroll, L. and Hernandez, T. External monitoring of cardiac output, 458*
Endow, J. S. See Tubis, M.
Erickson, J. See Patton, J.
Eutsler, K. D. Lung scanning evaluation, 400*
Evans, T. C. See Cheng, F. H. F.
Fajans, P. S. See Lieberman, L. M.
Farmelant, M. H., Bakos, K. and Burrows, B. A. Renal tubular passage times, 401*, 641
Farmelant, M. H., Sachs, C. E., Genna, S. and Burrows, B. A. Renal excretion, 564
Farrer, P. A., Ciccio, S. S. and Rubin, P. $^{99m}TcO_4^-$ angiocardiography in acute mediastinal obstruction, 332*
Farrer, P. A., Roghair, G. and Steinhacker, R. $^{99m}TcO_4^-$ cerebral angiography in CVA, 401*
Farrer, P. A.
See Rubin, P.
See Spar, I. L.
Fawwaz, R. A. Winchell, H. S., Frye, F., Hemphill, W. and Lawrence, J. H. ^{58}Co and ^{65}Zn hematoporphyrin complexes, 581
Fawwaz, R. A., Winchell, H. S., Winstead, M. and Armaly, G. Hematoporphyrin complexes for lymphatic irradiation, 333*
Fawwaz, R. A.
See Chernelch, M.
See Winstead, M. B.
Fazio, C., Agnoli, A., Bava, G. L., Bozzao, L. and Fieschi, C. $^{99m}TcO_4^-$ for spinal tumors, 508
Fellerman, H. See Chodos, R. B.
Fenton, J. C. See Wellman, H. N.
Ferrari, M. See Touya, E.
Ficken, V., Halpern, S., Smith, C., Miller, L. and Bogardus, C. ^{99m}Tc-S macroaggregates for lung imaging, 402*
Fieschi, C. See Fazio, C.
Figueroa, W. G. and MacDonald, N. S. ^{67}Cu and ^{54}Mn absorption and retention, 402*
Filbee, J. F. and Florentis, E. ^{113m}In blood volume, 402*
Fillet, G. See Paulus, J. M.
Fingerhut, A. G. See Bernstein, G. A.
Fink, S., Ben-Porath, M., Jacobsen, B., Clayton, G. D. and Kaplan, E. Dual channel pancreas scanning, 78
Finley, N. N. See Ngo, T. M.
Finston, R. A. See Goodwin, D. A.
Fischer, D. S., Solaric, E., Stewart, W., Cejas, C. and Kelly, C. Liver subtraction from pancreas scans, 459*
Fischer, D. S. See Solaric, E.
Fish, M. B., O'Day, D. M., Aronson, S. and Pollycove, M. *In vivo* ocular blood flow with ^{133}Xe, 333*
Fish, M. B.
See DeGrazia, J. A.
See Weber, P. M.
See Winchell, H. S.
Fisher, H. L. See Snyder, W. S.
Fleischner, F. G. See Eaton, S. B.
Florentis, E. See Filbee, J. F.
Flowers, E. D. See Maynard, C. D.
Ford, M. R. See Snyder, W. S.
Forsaith, A. L. See Izenstark, J. L.
Foster, A. E. See Braverman, L. E.
Fowler, J. F. See Sharma, R. R.
Franco, J., Coppler, M. and Kovaleski, B. Propanolol and ^{131}I in the treatment of thyrotoxicosis, 403*
Franco, J., Dronkert, A., Coppler, M. and Kovaleski, B. Echoencephalography and $^{99m}TcO_4^-$ uptake in the choroid plexus, 403*

Franco, J. See Kovaleski, B.
Frankel, H. J. See Pierson, R. N.
Freedman, G. S. Microfilming system, 562
Freedman, S. Z. See Siemsen, J. K.
Freeman, L. M., Bernstein, R. G., Katz, M. C., Derman, A. and Meng, C. H. Liver scanning and angiography, 628
Freeman, L. M., Goldman, S. M., Shaw, R. K. and Blaufox, M. D. Kidney visualization with hippuran, 333*, 545
Freeman, L. M., Meng, C., Bernstein, R. G., Bosniak, M. A. and Johnson, P. M. False-positive liver scans, 334*
Freour, P. See Bernadou, J.
Fritsch, B. A. See Henegar, G .C.
Frye, F. See Fawwaz, R. A.
Fujii, M. See Forizuka, K.
Fukuda, N.
See Nagai, T.
See Torizuka, K.
Furukawa, T. See Nagai, T.
Gandel, P. See Wellman, H. N.
Garvan, J. M. See Jenkinson, I. S.
Gastesi, R. A. See Vulpetti, A. T.
Gates, G. A. Salivary gland scanning, 334*
Genna, S. Center of activity in scintiscanning, 404*
Genna, S. See Farmelant, M. H.
Genton, E. See Cleaveland, J. D.
Gibbs, W. D., Hodges, H. D., Queener, R. F. and Lushbaugh, C. C. Scatter-window method of whole-body counting, 335*
Gibbs, W. D. See Hodges, H. D.
Gilday, D. L., Reba, R. C., Longo, R. and Wagner, H. N. ^{169}Yb-DTPA complex for brain scaning, 335*
Gilson, A. J. See Smoak, W. M.
Gohil, M. N. See Nelp, W. B.
Gold, F. M., Lorber, S. A., Rubenfield, S. and Hotchkiss, R. S. ^{69m}Zn dosimetry and biological fate, 336*
Goldberg, D. See Burke, G.
Goldberg, S. See Smith, E. M.
Goldman, S. M. See Freeman, L. M.
Goldschlager, N., Corsini, G., Leb, G., Derntl, F., Cowan, C. and Bing, R. J. Coincidence counting in coronary blood flow, 336*
Goldsmith, R. E., Kloth, R., Berry, H. E., Rauh, J., Landwehr, J. and Bahr, G. Chromatographic separation of iodo compounds, 722
Gollan, F. See Johnson, A. E.
Goodrich, J. W. See Graham, T. P.
Goodwin, D. A., Finston, R. A., Colombetti, L. G., Beaver, J. E. and Hupf, H. ^{111}In-colloid for lymphatic scintiphotography, 337*
Goodwin, D. A.
See Colombetti, L. G.
See DeNardo, G. L.
See Imbornone, C. J.
Gorten, R. J. and Krackow, K. A. Interpretation of scans with digital computer, 404*
Gorten, R. J.
See Kirsch, K.
See Krackow, K. A.
See Lawrence, C. A.
Goswitz, F. A., Vodopick, H. and Clevenger, M. Blood lymphocyte kinetics in chronic lymphocytic leukemia, 404*
Goswitz, F. A. See Vodopick, H.
Gotshall, E.
See Johnston, G. S.
See Kyle, R. W.
Gottschalk, A., Usher, M. S., Polcyn, R. E. and Quinn, J. L. Scintillation camera with diverging collimator, 337*
Gottschalk, A.
See Hoffer, P. B.
See Kranzler, J. K.
Graber, S. E., McIntyre, P. A. and Heyssel, R. M. Kinetics of ^{113m}In and ^{59}Fe-transferrin, 338*
Graham, T. P., Goodrich, J. W. and Robinson, A. M. Scintiangiocardiography in children, 338*
Gray, W. Comparison of thyroid function measurements, 405*
Green, M. V. See Ramirez, M.
Greenberg, E. J., Chu, F., Dimich, A., Dwyer, A., Myers, W. P. L. and Laughlin, J. S. R. T. effects on bone metastases measured by ^{47}Ca, 338*
Greenberg, E. J. See Weber, D. A.
Greene, R. E. See Eaton, S. B.
Grieco, M. H. See Pierson, R. N.
Griep, R. J., Wise, G. and Marty, R. Radioisotope arteriography in carotid artery obstruction, 339*
Griffiths, F. B. See Young, J. D.
Griswold, M. L.
See Kennady, J. C.
See Yamada, H.
Groome, D. S. and Brown, D. W. Nuclear medicine, computer assisted instruction, 339*
Groome, D. S. and Brown, D. W. Computer use in radiopharmaceutical inventory, 405*
Groome, D. S. See Brown, D. W.
Guelfi, A. G. See Touya, E.
Guenter, C. A. See Welch, M. A.
Gunner, B. W. See Jenkinson, I. S.
Hadcock, W. See Jackson, G. L.
Haddad, R. G. and Luchsinger, P. C. Disappearance of ^{131}I-MAA from lung, 560
Halko, A. See Burke, G.
Halpern, S. See Ficken, V.
Hamamoto, K.
See Tauxe, W. N.
See Torizuka, K.
Hamburger, J. I. and Meier, D. A. Diuretics and ^{131}I uptake in thyroid cancer, 340*
Hamby, W. H., Miller, E. B. and Kaplan, E. Renograms compared to other kidney studies, 603
Hammersten, J. F. See Welch, M. A.
Harbert, J. C. Oral barium administration before bone scanning, 145
Harbert, J. C. and Ashburn, W. L. Polaroid film for scintiphotography, 127
Harbert, J. C., Zeiger, L. S., McCullough, D. C. and Ommaya, A. K. Spinal cord dosimetry in ^{131}I-HSA cisternography, 340*
Harden, R. McG. See Shimmins, J. G.
Harding, J. M. Quantification of physiological systems, 405*
Harper, P. V., Beck, R. N. and Reddy, M. Two-dimensional image analysis, 340*
Harper, P. V.
See Kranzler, J. K.
See Lembares, N.
See Pickleman, J. R.
See Porter, J. W.
See Reddy, M.
Harris, C. C.
President's letter, American Board of Nuclear Medicine, 55
President's letter, Educational program in nuclear medicine, 149
President's letter, Activities of Society, 257
Hart, E. F. See Knowles, L. G.
Hauser, W. See Atkins, H. L.
Hayes, M. See Kennady, J. C.
Hayes, R. L., Carlton, J. E. and Byrd, B. L. Uptake of ^{67}Ga in soft tissue tumors, 406*
Hayes, R. L. See Edwards, C. L.
Haynie, T. P. See Konikowski, T.
Hayton, T. Maximum permissible level for bone seekers, 406*
Helikson, M. A. See DeNardo, G. L.
Hellems, H. K. See Smith, R. O.
Hellman, H. N. See Cleaveland, J. D.
Hemphill, W. See Fawwaz, R. A.
Henegar, G. C., Anagnostopoulos, L., Brandly, J. M., DeBoer, A., Fritsch, B. A. and Stefanovic, N. Sodium and water space studies following cardiac surgery, 407*
Herbert, R. J. T., Hibbard, B. M. and Sheppard, M. A. Metabolism and dosimetry of ^{99m}Tc-albumin, 224
Hermanson, R. See Colombetti, L. G.
Hernandez, T. See Emroll, L.
Hersch, T. See Antar, M. A.
Heriel, E. See Langhammer, H.
Hetenyi, G. See Cowan, J. S.
Heyssel, R. M. See Graber, S. E.
Hibbard, B. M. See Herbert, R. J. T.
Hidalgo, J. U., Sinclair, S. M. and Suwanik, R. Improvement in blood volume prediction, 407*
Hidalgo, J. U. See Sinclair, S. M.
Hilditch, T. E. See Shimmins, J. G.
Hilger, M. T. J. and Loken, M. K. Scintillation camera comparisons, 407*
Hill, T. See Welch, M.
Hilton, J. G. See Pierson, R. N.
Hilts, S. V. Large initial ^{131}I therapy doses, 341*
Hilts, S. V. and Stoops, T. D. The autofluoroscope: clinical evaluation, 408*
Hilts, S. V. and Wilcox, W. C. Autofluoroscope lung imaging, 341*
Hilts, S. V. See Stoops, T. D.

Himelstein, E. S. See Bettigole, R. E.
Hinkley, R. L. See Colombetti, L. G.
Hinn, G. M. See Murano, R.
Hipple, T. F. See Samuels, L. D.
Hiramutsu, Y. See O'Mara, R. E.
Hodges, H. D., Edwards, C. L., Lushbaugh, C. C. and Gibbs, W. Whole-body ^{131}I retention, 459*
Hodges, H. D. See Gibbs, W. D.
Hoffer, P. B., Polcyn, R. E., Moody, R., Lowe, H. J. and Gottschalk, A. Fluorescence study of cerebral blood flow, 651
Hollander, L. See DeGrazia, J. A.
Holman, B. L., Costello, C., Studer, R., Welch, M. and Potchen, E. J. ^{125}I- and ^{14}C-tryptophane in malignant carcinoid syndrome, 342*
Holmes, J. C. See Wellman, H. N.
Holmes, R. A., Darin, J. C., Rood, J. E. and Wheeler, D. A. Measurement of blood exchange with ^{51}Cr labeled RBC and ^{131}I-IHSA, 408*
Honda, T., Kazem, I., Croll, M. N. and Brady, L. W. ^{99m}Tc-labeled macro- and microaggregated albumin, 343*
Honda, T. See Lam, S.
Hopkins, O. L. See Newhouse, M. T.
Hör, G. See Langhammer, H.
Horgan, J. D. See Meade, R. C.
Horwitz, N. H. See Izenstark, J. L.
Hosain, F. and Wagner, H. N. Metabolism of In-Fe-DTPA complex, 409*
Hotchkiss, R. S. See Gold, F. M.
Huberty, J. P. See Boyd, R. E., 737
Hughes, R. See Brown, M. F.
Hulme, B. Retention of polyvinylpyrrolidone, 296
Humes, R. See Wilensky, S.
Hunter, W. H. ^{99m}Tc-S colloid stabilization, 607
Hunter, W. W. and de Kock, H. W. ^{111}In for tumor localization, 343*
Hupf, H. B. and Beaver, J. E. Cyclotron production of ^{67}Ga, 343*
Hupf, H. B. See Goodwin, D. A.
Hurley, P. J., Poulose, K. P. and Wagner, H. N. Radionuclide angiocardiography for intracardiac shunts, 344*
Hurley, P. J., Strauss, H. W., Rhodes, B. A. and Wagner, H. N. ^{99m}Tc microspheres for transpulmonary shunts, 344*
Iio, M., Ueda, H. and Sasaki, Y. Catheter semiconductor radiation detector, 345*
Iio, M. See Ueda, H.
Iinuma, T. A. See Nagai, T.
Iisaki, Y. See Oldendorf, W. H.
Imbornone, C. J. and Goodwin, D. A. Quantitative analysis of liver, spleen and lung studies, 409*
Ingraham, S. C., Silberstein, E. B., Kereiakes, J. G. and Wellman, H. N. ^{131}I labeling of autologous fibrinogen, 410*
Inkley, S. R. See MacIntyre, W. J.
Irwin, G. A. Oral barium administration before bone scanning, 145
Isawa, T., Wasserman, K. and Taplin, G. V. Lung imaging and pulmonary function studies, 345*
Ito, I. See Ueda, H.
Iwasaki, I. Radionuclide studies in hypoplastic anemia, 410*
Izenstark, J. L., Forsaith, A. L. and Horwitz, N. H. Pyramidal thyroid lobe, 519
Jackson, G. L. and Blosser, N. M. Cerebral hemispheric blood flow, 501
Jackson, G. L., Blosser, N. M. and Hadcock, W. Computer analysis of cerebral blood flow, 410*
Jackson, P. E. Renal blood-flow study, 411*
Jacobsen, B. See Fink, S.
Jacox, R. See Spar, I. L.
Jaffe, H. L. See Starr, P.
James, A. E. See Eaton, S. B.
Janeway, R. See Maynard, C. D.
Jenkinson, I. S., Garvan, J. M. and Gunner, B. W. ^{3}H-mannitol for GFR, 411*
Jeppesen, F. I. See Paulson, O. B.
Johnson, A. E. and Gollan, F. ^{99m}Tc-dioxide for liver scanning, 346*
Johnson, D. E. See Yamada, H.
Johnson, P. C. Blood volume and red-cell survival in spaceflight, 346*
Johnson, P. C. ^{133}Xe ventilation and perfusion studies, 412*
Johnson, P. C. See LeBlanc, A.
Johnson, P. M. and Cannon, P. J. Regional myocardial blood flow with ^{133}Xe, 412*
Johnson, P. M., Sagerman, R. H. and Dombrowski, C. Radiation-induced pulmonary ischemia, 347*
Johnson, P. M. See Freeman, L. M.
Johnson, R. M. See Westerman, B. R.
Johnston, G. S., Gotshall, E., van Heerden, P. D. R. and Murphy, G. P. Kidney excretion of chlormerodrin, 540
Johnston, G. S. See Kyle, R. W.
Johnston, R. E.
See Brill, A. B.
See Patton, J.
Jump, B. J. Positioning for cerebral blood flow, 708
Jump, B. J., Peters, S. M. and Niznik, T. T. 5-in. focus collimator, 459*
Kabayashi, T. See Ueda, H.
Kaihara, S., Carulli, N. and Wagner, H. N. Radioisotope and chromatographic thyroxine assay, 281
Kaihara, S., Natarajan, T. K., Wagner, H. N. and Maynard, C. D. Functional image from regional rate constants, 347*
Kaihara, S. and Wagner, H. N. Radioimmunoassay of angiotensin II and renin, 347*
Kaihara, S. See Ueda, H.
Kakehi, H. See Uchiyama, G.
Kameda, H. See Ueda, H.
Kang, G. S. Scanning myocardial infarcts with toluidine blue, 413*
Kann, D. E. See Brunner, P. N.
Kaplan, E., Ben-Porath, M. and Martinez, C. Simultaneous visualization of brain and cisternal system, 348*
Kaplan, E., Domingo, M. B., Ben-Porath, M. and Sakamoto, A. Dual-channel scanning of focal lesions of the liver, 348*
Kaplan, E.
See Ben-Porath, M.
See Domingo, M. B.
See Fink, S.
See Hamby, W. H.
See Little, A. E.
See Remenchik, A. P.
Karam, J. See Raynaud, C.
Kass, I. See Quaife, M. A.
Katims, R. B. See Ashkar, F. S.
Katz, M. C. See Freeman, L. M.
Kawan, B. and Winters, E. E. Excretion of ^{203}Hg-Neohydrin due to D-penicillamine treatments, 413*
Kazem, I.
See Honda, T.
See Lam, S.
Kearney, J. J. See Tabern, D. L.
Kellershorn, C. See Raynaud, C.
Kelly, C. See Fischer, D. S.
Kelly, D., Alexander, E. and Maynard, C. D. Brain scan in the diagnosis of arteriovenous malformations, 413*
Kelly, W. D. See Staab, E. V.
Kennady, J. C., Cole, R. E., Chin, F. K. and Hayes, M. Brain tumor visualization, 349*
Kennady, J. C., Cole, R. E., Griswold, M. L. and Knox, R. $^{99m}TcO_4^-$ in brain tumor cell cultures, 349*
Kenney, G. N. See Tippetts, R. D.
Kenny, P. J. See Weber, D. A.
Kereiakes, J. G. See Ingraham, S. C.
Kirsch, K. and Gorten, R. J. Total body hematocrit, 350*
Kirschbaum, J. Tetrameric structure of heat macroaggregated HSA, 414*
Klich, C. J. See Klimek, M. F.
Klimek, M. F., Klich, C. J., Levine, H. and Lourenço, R. V. ^{198}Au-aerosol, airway obstruction, 460*
Kloth, R. See Goldsmith, R. E., 722
Knowles, L. G., Hart, E. F. and Schulz, A. G. Line spacing and time constant selection, 414*
Knowles, L. G. See Kohlenstein, L. C.
Knox, R. See Kennady, J. C.
Kohlenstein, L. C., Knowles, L. G. and Schulz, A. G. Detectability of kidney lesions as a function of count density, 415*
Kohlenstein, L. C. See Schulz, A. G.
Konikowski, T. and Haynie, T. P. Perchlorate and $^{99m}TcO_4^-$ in mouse brain tumors, 350*
Kontzen, F. N., Beschi, R. J., and Pittman, J. A. Radioactive pulmonary emboli, 415*
Korst, D. R. See Tyson, I. B.

Kosnik, L. T.
See Preuss, L. E.
See Vulpetti, A. T.
Kostamis, P., Constantinides, C., Binopoulos, D. and Malamos, B. ^{99m}Tc-S colloid for bone marrow imaging in thalassemia, 351*
Kostamis, P. See Constantinides, C.
Kountz, S. L. See Yeh, S.
Kovaleski, B., Coppler, M. and Franco, J. Rose bengal retention test, 416*
Kovaleski, B. See Franco, J.
Koven, I. H., Leask, D., Sarson, A. and Pollard, A. Rapid determination of $^{35}SO_4$ in plasma and urine, 284
Krackow, K. A. and Gorten, R. J. Computer simulation of the scanning process, 416*
Krackow, K. A. See Gorten, R. J.
Kranzler, J. K., Harper, P. V., Polcyn, R. E. and Gottschalk, A. Hepatic pliability as a diagnostic criterion, 416*
Kriss, J. P. Radioisotope angiocardiography, 233
Kriss, J. P., Bonner, W. A. and Levinthal, E. C. Time-lapse videoscintiscope, 249
Kriss, J. P. and Matin, P. Angiocardiography in ventricular and aortic disease, 351*
Kriss, J. P.
See Matin, P.
See Yeh, S. H.
Kudzma, D. T. See Young, R. F.
Kuhl, D. E. See Sanders, T. P.
Kush, G. See Loken, M. K.
Kyle, R. W., Gotshall, E. and Johnston, G. S. ^{51}Cr-RBC's for spleen scanning, 480
Lam, S., Honda, T., Kazem, I., Croll, M. N. and Brady, L. W. Dynamic phantoms for organ blood flow, 416*
Lambert, G. and Sternberg, J. Protein synthesis in isolated perfused liver, 351*
Landaw, S. A. and Winchell, H. S. ^{14}CO technique in hemoglobin kinetics, 352*
Landwehr, J. See Goldsmith, R. E.
Langan, J. K. and Wagner, H. N. Filing scintillation-camera images, 460*
Langhammer, H. Scanning mediastinal lymph nodes, 749
Larrea, P. A. and Smith, E. M. Computer program for pulmonary function studies, 353*
Larrea, P. A. See Smoak, W. M.
Larson, J. M. and Bennett, L. R. HSA stabilization of ^{99m}Tc-S colloid, 294, 461*
Lathrop, K. A. See Pickleman, J. R.
Laughlin, J. S.
See Greenberg, E. J.
See Mayer, K.
See Tilbury, R. S.
See Weber, D. A.
Laurer, G. See Phillips, R. A.
Lawrence, C. A., Russell, M. E., Davis, R. P. and Gorten, R. J. Count variation in ^{131}I capsules, 461*
Lawrence, J. H.
See Chaudhuri, T. K.
See Fawwaz, R. A.
See Ngo, T. M.
See Ronai, P.
See Winstead, M. B.
Lazarus, L. See Young, J. D.
Leach, K. G. Dose rate in radiological and nuclear medicine procedures, 295*
Leask, D. See Koven, I. H.
Leb, G. See Goldschlager, N.
LeBel, E. See Vityé, B., 735
LeBlanc, A. and Johnson, P. C. ^{84}Rb coronary blood flow during exercise and hypoxia, 417*
Legeay, R. See Burdine, J. A.
Lehan, P. H. See Smith, R. O.
Leinbach, G. E., Saunders, D. R. and Nelp, W. B. Purification and administration of ^{131}I-triolein, 353*
Leins, P. A., Bodfish, R. E. and Patton, D. D. Simple pocket-sized data blender for scans, 417*
Leins, P. A.
See Siemsen, J. K.
See Waxman, A. D.
Lembares, N., Beck, R. N. and Harper, P. V. Response to scattered radiation from ^{125}I, 417*
Leu, M. L. See Beckner, W. M.
Levine, H. See Klimek, M. F.
Levinthal, E. C. See Kriss, J. P.
Levy, B. S. and Ashburn, W. L. Thyroid uptake studies using ^{123}I, 286
Levy, B. S. and Ashburn, W. L. Dosimetry of ^{132}I, 752
L'Heureux, P. See Loken, M. K.
Lichtman, H. C. See Newman, J. W.
Lieberman, L. M., Beierwaltes, W. H., Boyd, C. M., Varma, V. M., Carey, J. E. and Fajans, P. S. Therapeutic ^{131}I chloroquine analog in malignant melanoma, 354*
Lieberman, L. M., Beierwaltes, W. H., Varma, V. M., Weinhold, P. and Ling, R. Labeled dopamine distribution, 93
Lieberman, L. M.
See Beierwaltes, W. H.
See Boyd, C. M.
See Varma, V. M.
Lillehei, J. See Loken, M. K.
Lillywhite, L. See Siemsen, J. K.
Lindberg, L. and Schwartz, M. S. Diagnosis of spondylitis by external ^{85}Sr counting, 213
Linekin, D. M. See Petushka, A. A.
Ling, R. See Lieberman, L. M.
Little, A. E., Ben-Porath, M., Remenchik, A. P. and Kaplan, E. Gamma spectrum analysis by desk-top computer, 417*
Little, J. B. See Davis, M. A.
Littleboy, H. See Wilensky, S.
Lofquist, E. See Tabern, D. L.
Loken, M. K. and Binet, E. F. Scintiangiography in cerebral pathology, 354*
Loken, M. K., Bugby, R. D. and Lowman, J. T. ^{197}Hg-MHP for spleen function, 615
Loken, M. K. and Kush, G. Renal function using a camera and computer, 418*
Loken, M. K., Medina, J., L'Heureaux, P., Lillehei, J., Kush, G. and Ebert, R. Ventilation and perfusion with ^{133}Xe, 418*
Loken, M. K., Ponto, R. and Kush, G. Quantitative studies with a scintillation camera, 419*
Loken, M. K.
See Domek, N. S.
See Hilger, M. T. J.
See Staab, E. V.
Longo, R. See Gilday, D. L.
Lorber, S. A.
See Gold, F. M.
See Maglione, A.
Lourenço, R. V. See Klimek, M. F.
Love, W. D., Smith, R. O. and Pulley, P. E. ^{42}K and ^{86}Rb clearance by myocardium, 702
Love, W. D. See Smith, R. O.
Lowe, H. J. See Hoffer, P. B.
Lowman, J. T. See Loken, M. K.
Luchsinger, P. C. See Haddad, R. G.
Lucis, O. J., Cummings, G. T., Matthews, S. and Burry, C. Serum thyroxine and PBI, 160
Lushbaugh, C. C.
See Gibbs, W. D.
See Hodges, H. D.
Lyons, J. H. See Eaton, S. B.
Maass, R. See Eberstadt, P. L.
McAfee, J. G., Mozley, J. M. and Stabler, E. P. Longitudinal tomography, 654
McAfee, J. G.
See Bell, E. G.
See O'Mara, R. E.
See Subramanian, G.
McAlister, J. M. Retention and storage of polyvinylpyrrolidone, 295
McAllister, J. D. and Marasco, J. A. Correlation of imaging with radiography, 419*
McAllister, J. D., Tuthill, J. E. and D'Altorio, R. A. Brain scanning in the differential diagnosis of CVA's, 355*
McCarty, D. J., Polcyn, R. E. and Collins, P. A. Joint imaging using ^{99m}Tc-pertechnetate, 356*
McCullough, D. C. See Harbert, J. C.
McDonald, R. A. See Bernard, J. D.
McHardy-Young, S. Simplified radioimmunoassay of human TSH, 356*
McIntyre, P. A.
See Graber, S. E.
See Strauss, H. W.
McRae, J. and Anger, H. O. The multiplane tomographic gamma-ray scanner, 356*
McRae, J. See Yano, Y.
MacDonald, N. S.
See Figueroa, W. G.
See Rodriguez, J.
See Yamada, H.
Machida, K. See Ueda, H.
MacIntyre, W. J. and Inkley, S. R. Lung imaging with ^{133}Xe, 355*

MacIntyre, W. J.
See Christie, J. H.
See Razzak, M. A.
Mack, J. F., Wellman, H. N. and Saenger, E. L. Oblique pulmonary imaging of perfusion abnormalities, 420*
Mack, J. F., Wellman, H. N., Witt, R. L. and Poe, R. H. Pulmonary perfusion-ventilation, 420*
Mack, J. F. See Wellman, H. N.
Madden, J. A. See Meade, R. C.
Maglione, A., Lorber, S. A., Shaw, W. I. and Rubenfield, S. Liver imaging with ^{99m}Tc-S colloid, 420*
Malamos, B.
See Constantinides, C.
See Kostamis, P.
Mamacos, J. P. See Tilbury, R. S.
Mangum, J. F. and Powel, M. R. Liver imaging with ^{99m}Tc-S colloid, 421*
Mansfield, T. P. See Cleaveland, J. D.
Marasco, J. A. See McAllister, J. D.
Marks, A. M. See Smoak, W. M.
Marlen, C. J. and Wetzel, R. A. A rapid estimate of thyroid trapping function, 421*
Martin, T. G. Mulvey, P. F.
Martinez, C. See Kaplan, E.
Martinez-Villaseñor, D. and Bush, P. GFR with ^{113}In-DTPA, 422*
Martone, R. J. Development of the Dynacamera, 422*
Marty, R. See Griep, R. J.
Masahiro, I. See Ueda, H.
Matin, P., Steiner, R. and Kriss, J. P. Angiocardiography in mitral valve disease, 356*
Matin, P. See Kriss, J. P.
Matsen, F. A. See Burdine, J. A.
Matthews, S. See Lucis, O. J.
Maxfield, W. S.
See Meckstroth, G. R.
See Shuler, S. E.
Mayer, K., Dwyer, A. and Laughlin, J. S. Spleen scanning with ACD damaged ^{51}Cr-RBC, 357*
Mayer, K. See Bettigole, R. E.
Maynard, C. D., Witcofski, R. L., Janeway, R., Cowan, R. J., Addario D., Rhyne, A. and Flowers, E. D. Cerebral blood flow, 358*
Maynard, C. D.
See Kaihara, S.
See Kelly, D.
Meade, R. C., Hargan, J. D. and Madden, J. A. Renogram evaluation, 40
Meckstroth, G. R., Witherspoon, L. R. and Maxfield, W. S. Radiation dosimetry of ^{131}I-hippuran, 423*
Medina, J. See Loken, M. K.
Meier, D. A. See Hamburger, J. I.
Melmed, R. N., Agnew, J. E. and Bouchier, I. A. D. Pancreas scanning and metabolism of ^{75}Se-selenocystine, 575
Meng, C. See Freeman, L. M.
Metz, C. E. Minimum activity for thyroid uptake, 475
Mibelli, J. See Smith, E. M.
Miller, E. B. See Hamby, W. H.
Miller, J. M. and Block, M. A. Autoradiography, "hot" thyroid nodule, 691
Miller, L. See Ficken, V.
Miraldi, F., DiChiro, G. and Skoff, G. Current methods of radioisotope tomography, 358*
Mishkin, F. S. See DiOrio, V. J.
Moody, R. See Hoffer, P. B.
Morel, D. E., Allen, F. H. and Verdon, T. A. Brain imaging with ^{203}Hg-Neohydrin and $^{99m}TcO_4^-$, 423*
Morel, D. E. See Verdon, T. A.
Morita, E. T. See Verdon, T. A.
Morita, S.
See Torizuka, K.
See Uchiyama, G.
Morris, A. C.
See Arimizu, N.
See Barclay, T. R.
Morris, J. G. See Boyd, R. E., 737
Mozley, J. M. Brain tumor imaging, 359*
Mozley, J. M. See McAfee, J. G.
Muehllehner, G. Diverging collimator for cameras, 197
Mulvey, P. F. and Martin, T. G. ^{180}Re and ^{131}I for thyroid function, 359*
Murano, R., Pailthorp, K. G., Palmer, H. E., Hinn, G. M., Rich, C. R., Rudd, T. G., Williams, J. L. and Nelp, W. B. Neutron activation for total-body calcium, 360*
Murphy, G. P. See Johnston, G. S.
Myers, W. P. L.
See Greenberg, E.
See Weber, D. A.
Myhill, J. Counting ^{125}I and ^{75}Se in one sample, 46
Myhill, J. Extra-thyroidal neck activity, 52
Nagai, T. *In vivo* fast-neutron activation, 192
Nagai, T., Fukuda, N. and Iinuma, T. A. Computer focusing in imaging, 209
Nagai, T., Sugita, H., Iinuma, T. A., Furukawa, T. and Yashiro, S. Body potassium concentration and rubidium metabolism, 1
Nash, R. See Brill, A. B.
Nasjleti, C. E. and Spencer, H. H. Chromosome damage after cysteamine, 495
Natarajan, T. K.
See Kaihara, S.
See Strauss, H. W.
Naumoff, N. S. R. Pathogenesis of water immersion diuresis, 360*
Neil, C. M. Hand radiation exposure from handling ^{99m}Tc, 423*, 732
Nelp, W. B., Bower, R. E. and Gohil, M. N. Radiation changes in marrow, 361*
Nelp, W. B.
See Leinbach, G. E.
See Murano, R.
Newhouse, M. T., Wright, F. J., Hopkins, O. L. and Dolovich, M. Distribution and clearance of IHSA aerosol in the lung, 361*
Newman, J. W. and Lichtman, H. C. Liquid-scintillation radioassay of ^{14}C-hemoglobin in a thixotropic gel, 261
Ngo, T. M. and Winchell, H. S. Effect of ionizing radiation on metabolism, 424*
Ngo, T. M., Winchell, H. S., Williams, M. A. Finley, N. N. and Lawrence, J. H. Decreased $^{14}C_2$ production in thiamine-deficient rats, 362*, 676
Nicoloff, J. T., Adelberg, H. and Siemsen, J. K. Chest scanning in pneumonia, 424*
Nishsyama, R. H. See Varma, V. M.
Niznik, T. T. See Jump, B. J.
Noe, M. F. See Bell, E. G.
O'Brien, M. J. See Richards, P.
O'Day, D. M. See Fish, M. B.
Oettinger, L. See Starr, P.
Ohlsen, J. See Yeh, S.
Ohmori, T. See Uchiyama, G.
Oldendorf, W. H. Identification of gamma rays originating external to skull, 740
Oldendorf, W. H., Sisson, W. B. and Iisaki, Y. Effect of ClO_4^- on the distribution of $^{99m}TcO_4^-$, 424*
Oldendorf, W. H. and Youichi, I. Isotope content of scalp and skull, 177
Oldendorf, W. H. and Youichi, I. Absorption of gamma radiation by skull, 184
O'Mara, R. E., Hiramutsu, Y., McAfee, J. G. and Subramanian, G. Kidney section autoradiography, 362*
O'Mara, R. E., McAfee, J. G. and Subramanian, G. Rare earth nuclides for skeletal imaging, 49, 363*
O'Mara, R. E., Subramanian, G., McAfee, J. G. and Burger, C. L. ^{113m}In and other agents for cerebral scanning, 18
Ommaya, A. K. See Harbert, J. C.
O'Reilly, S., Weber, P., Pollycove, M. and Shipley, L. Detection of the heterozygote of Wilson's disease, 143
O'Reilly, S.
See Beckner, W. M.
See Weber, P. M.
Osorio, A. See Touya, E.
Otte, W. K. See Sayle, B. A.
Pabst, H. W. See Langhammer, H.
Pailthorp, K. G. See Murano, R.
Palmer, H. E. See Murano, R.
Paloyan, E. See Pickleman, J. R.
Park, C. H. See Cantor, R. E.
Parrish, G. D. See Carlson, J. C.
Patton, D. D. Diverging collimator for the gamma camera, 425*
Patton, D. D. Toward a department of medical imaging, 425*
Patton, D. D. See Leins, P. A.
Patton, J., Brill, A. B., Erickson, J., Cook, W. E. and Johnston, R. E. 3-D radionuclide distributions, 363*
Paulson, O. B., Cronquist, S., Risberg, J. and Jeppesen, F. I. Regional cerebral blood flow, 164

Paulus, J. M., Thompson, K. H., Fillet, G. and Willems, J. Platelet life span and production, 426*
Penkoske, P., Potchen, E. J., Welch, M. J. and Welch, T. J. Chemistry of generator-produced ^{113m}In, 646
Penkoske, P. See Welch, T. J.
Perillo, W. See Touya, E.
Peters, S. M. See Jump, B. J.
Peterson, R. E.
See Brunner, P. N.
See Cheng, F. H. F.
Petushkov, A. A., Linekin, D. M., Balcius, J. F. and Brownell, G. L. Spectrometry of trace elements in fingernails, 730
Phillips, R. A., Laurer, G., Bass, B. G. and Pierson, R. N. Whole-body potassium counting, 426*
Pickleman, J. R., Paloyan, E., Lathrop, K. A. and Harper, P. V. ^{75}Se-selenomethionine uptake in hyperparathyroidism, 363*
Pierson, R. N., Frankel, H. J. and Hilton, J. G. Total-body potassium in hypertension, 427*
Pierson, R. N. and Grieco, M. H. Effects of isoproterenol and methacholine on pulmonary blood volume, 427*
Pierson, R. N. and Hilton, J. G. Reference standard and normal ranges of body K, 364*
Pintauro, D. See Cragin, M. D.
Pirruccello, R. See Webber, M. M.
Pittman, J. A. See Kontzen, F. N.
Pizer, S. M. See Wilensky, S.
Pizer, S. M. and Vetter, H. G. Processing radioisotope scans, 151
Poe, N. D. Blood flow through the atelectatic lung, 365*
Poe, N. D., Dore, E. K., Swanson, L. A. and Taplin, G. V. Fatal pulmonary embolism, 28
Poe, N. D., Dore, E. K., Wilson, A. F. and Taplin, G. V. Inhalation-perfusion lung scanning, 427*
Poe, R. H. See Mack, J. F.
Polcyn, R. E.
See Gottschalk, A.
See Hoffer, P. B.
See Kranzler, J. K.
See McCarthy, D. J.
Pollard, A. See Koven, I. H.
Pollycove, M.
See DeGrazia, J. A.
See Fish, M. B.
See O'Reilly, S.
See Weber, P. M.
See Winchell, H. S.
Ponto, R. See Loken, M. K.
Porter, J. W., Harper, P. V. and Charleston, D. B. Efficiencies of NaI(Tl) well crystals, 428*
Potchen, E. J.
See Adatepe, M.
See Archer, E. G.
See Holman, B. L.
See Penkoske, P.
See Studer, R.
See Welch, M.
See Welch, T. J.
See Wochner, D.
Potsaid, M. S. See Eaton, S. B.
Poulose, K. P., Reba, R. C., DeLand, F. H. and Wagner, H. N. Liver scanning in preoperative cancer cases, 365*
Poulose, K. P.
See Hurley, P. J.
See Strauss, H. W.
Powell, M. R. See Mangum, J. F.
Prescott, J. H. See Telfer, N.
Preuss, L. E. and Kosnik, L. T. Fat to lean ratio using ^{109}Cd, 366*
Preuss, L. E. See Vulpetti, H.
Prince, J. R. See Skinner, S. B.
Pulley, P. E. See Love, W. D.
Quaife, M. A. and Kass, I. Microcirculation defect in chronic obstructive pulmonary disease, 366*
Queener, R. F. See Gibbs, W. D.
Quinn, J. L.
See Crews, M. C.
See Gottschalk, A.
See Westerman, B. R.
Raley, R. See Winchell, H. S.
Ramagopol, E. and DiGiulio, W. Improved method for determining serum thyroxine, 428*
Ramirez, M., Green, M. V. and Verdon, T. A. Eluting ^{99}Mo-^{99m}Tc generators, 461*
Rand, E.
Scintiphotography and ultrasonography for renal masses, 367*
$^{99m}TcO_4^-$ in gastric secretory activity, 367*
Bone scanning for metastatic carcinoma, 429*
Ultrasound and imaging of pericardial effusion, 429*
Radionuclide angiography and infrared thermography in carotid occlusive disease, 430*
Echoencephalogram and brain imaging, 430*
^{32}P therapy in metastatic prostatic cancer, 430*
Rapid lung scanning, 430*
Rapid pancreas scanning, 430*
Pericardial effusion diagnosis, 430*
Total-body bone scanning, 431*
Rapp, F. See Burdine, J. A.
Rauh, J. See Goldsmith, R. E.
Raynaud, C., Ricard, S., Karam, J. and Kellershorn, C. $^{197}Hg^{2+}$ for kidney function, 367*
Razzak, M. A., Botti, R. E. and MacIntyre, W. J. Renogram, effects of hydration and blood flow, 672
Reba, R. C.
See Castronovo, F. P.
See Guilday, D. L.
See Poulose, K. P.
Reddy, M., Harper, P. V. and Beck, R. N. Figure of merit for imaging systems, 431*
Reddy, M. See Harper, P. V.
Reid, E. L. See Ashkar, F. S.
Rekant, S. See Chodos, R. B.
Remenchik, A. P., DiSantis, D. E., Case, L., Donnelly, W. J. and Kaplan, E. Vitamin B_{12} uptake using a whole-body counter, 431*
Remenchik, A. P. See Little, A. E.
Rhodes, B. A. and Stern, H. S. "Kit" for ^{99m}Tc labeled albumin microspheres, 368*
Rhodes, B. A. and Wagner, H. N. Lung imaging with ^{99m}Tc-albumin microspheres, 432*
Rhodes, B. A.
See Buchanan, J. W.
See Hurley, P. J.
Rhodes, F. See Antar, M. A.
Rhyne, A. See Maynard, C. D.
Ricard, S. See Raynaud, C.
Rich, C. R. See Murano, R.
Richards, P. and O'Brien, M. J. Rapid determination of ^{99}Mo in separated $^{99m}TcO_4^-$, 517
Richards, P. See Atkins, H. L.
Richardson, R. H. See Welch, M. A.
Risberg, J. See Paulson, O. B.
Robinson, A. See Siemsen, J. K.
Robinson, A. M. See Graham, T. P.
Roda, J. E., Soloway, A. H., Benda, P. and Sweet, W. H. Biological behavior of $K^{56}MnO_4$, 205
Rodriguez, J., MacDonald, N. S. and Taplin, G. V. ^{113m}In albumin aggregates for liver and lung, 368*
Roghair, G. See Farrer, P. A.
Rollo, F. D. and Schulz, A. G. Spatial resolution characteristics of scanning systems, 432*
Rood, J. E. See Holmes, R. A.
Romhilt, D. W. See Wellman, H. N.
Ronai, P., Winchell, H. S., Anger, H. O. and Lawrence, J. H. Whole-body ^{59}Fe scanning, 469
Ross, G. S. See Bell, E. G.
Rothschild, E. O. See Weber, D. A.
Rubenfield, S.
See Gold, F. M.
See Maglione, A.
Rubin, P., Farrer, P. A. and Casarett, G. Radiation arthritis, 433*
Rubin, P.
See Farrer, P. A.
See Spar, I. L.
Rudd, T. G. See Murano, R.
Rupp, E. M. See Vodopick, H.
Russell, M. E. See Lawrence, C. A.
Ryder, L. Burdine, J. A.
Sachs, C. E. See Farmelant, M. H.
Saenger, E. L.
See Mark, J. F.
See Wellman, H. N.
Sagerman, R. H. See Johnson, P. M.
Sakamoto, A. See Kaplan, E.
Salazar, H. E. O. See Callejas, R. F.
Samuels, L. D. and Bass, J. C. ^{51}Cr lung scan in idiopathic pulmonary hemosiderosis, 106
Samuels, L. D. and Bass, J. C. ^{51}Cr lung scanning in idiopathic pulmonary hemosiderosis, 433*
Samuels, L. D. and Hipple, T. F. Premedication for $^{99m}TcO_4^-$ brain scans, 254
Samuels, L. D. and Stewart, C. Liver scanning for recurrent tumors in children, 433*
Sanders, T. P., Cohen, T. D. and Kuhl, D. E. ^{99m}Tc window setting in an Anger camera, 369*

Sano, R. and Burdine, J. A. Cardiac stroke volume, 369*
Sano, R. and Burdine, J. A. Gamma camera images, 434*
Sargent, T.
See Chernelch, M.
See Weber, P. M.
Sarson, A. See Koven, I. H.
Sasaki, Y.
See Iio, M.
See Ueda, H.
Saunders, D. R. See Leinbach, G. E.
Sayle, B. A., Otte, W. K. and Benua, R. S. Scanning liver metastases with ^{198}Au, 434*
Schachter, D. See Cowan, J. S.
Scheibe, P. O. Renal blood-flow, 435*
Scheibe, P. O. See Tauber, J. A.
Scholz, K. L. See Sodd, V. J.
Schulz, A. G. and Kohlenstein, L. C. Contrast and scintillation noise in scanning, 369*
Schulz, A. G.
See Knowles, L. G.
See Kohlenstein, L. C.
See Rhodes, F. D.
Schwartz, M. S. See Lindberg, L.
Searle, G. L. and Cavalieri, R. R. Scanning table, 709
Searle, G. L. See Cavalieri, R. R.
Sfontouris, T. See Constantinides, C.
Shapiro, B. See Cantor, R. E.
Sharma, R. R., Westerman, B. and Fowler, J. F. Detecting ability of imaging devices, 611
Shaw, R. K. See Freeman, L. M.
Shaw, W. I. See Maglione, A.
Sheppard, M. A. See Herbert, R. J. T.
Shimmins, J. G., Harden, R. McG. and Alexander, W. D. Loss of pertechnetate from thyroid, 637
Shimmins, J. G., Hilditch, T. E., Harden, R. McG. and Alexander, W. D. Extrathyroidal $^{99m}TcO_4^-$, 483
Shipley, L.
See O'Reilly, S.
See Weber, P. M.
Shuler, S. E. and Maxfield, W. S. IVP versus camera renogram in pediatrics, 370*
Siegel, B. See Archer, E. G.
Siemsen, J. K., Freedman, S. Z. and Robinson, A. Isotope studies in Siamese twins, 370*
Siemsen, J. K. and Lillywhite, L. Elimination of breathing artifacts on liver scans, 435*
Siemsen, J. K., Waxman, A. D. and Leins, P. A. Liver function studies with the multicrystal scanner, 435*
Siemsen, J. K.
See Nicoloff, J. T.
See Waxman, A. D.
Silberstein, E. B. See Ingraham, S. C.
Silverstein, G. See Burke, G.
Simmons, G. H. See Crist, J.
Sinclair, S. M. and Hidalgo, J. U. Well scintillator efficiency, 371*
Sinclair, S. M. See Hidalgo, J. U.
Sisson, W. B. See Oldendorf, W. H.
Skinner, D. R. Explanation of procedures to patients, 462*
Skinner, R. W. S. See DiGiulio, W.
Skinner, S. B. and Prince, J. R. Uptake, distribution and retention of antimony, 436*
Skoff, G. See Miraldi, F.
Skomne, G. See Eberstadt, P. L.
Smith, C. See Ficken, V.
Smith, E. M. Book review, 609
Smith, E. M. and Goldberg, S. Magnetic tape and CRT accessories for scanners, 436*
Smith, E. M., Smoak, W. M., Mibelli, J. and Weinstein, M. Use of physiological triggers for camera studies, 436*
Smith, E. M.
See Bauer, G. C. H.
See Larrea, P. A.
See Smoak, W. M.
Smith, R. O., Love, W. D., Lehan, P. H. and Hellems, H. K. Myocardial blood flow using ^{42}K, 437*
Smith, R. O. See Love, W. D.
Smoak, W. M., Smith, E. M., Larrea, P., Gilson, A. J. and Marks, A. M. Regional pulmonary dynamics, 438*
Smoak, W. M.
See Ashkar, F. S.
See Smith, E. M.
See Weinstein, M. B.
Snyder, W. S., Ford, M. R., Warner, G. G. and Fisher, H. L. Absorbed fractions in organ phantoms, MIRD Pamphlet #5
Sodd, V. J., Blue, J. W. and Scholz, K. L. ^{123}I cyclotron production, 371*
Sodd, V. J., Wellman, H. N. and Branson, B. M. ^{123}I thyroid measurements with a Ge(Li) detector, 136
Sodd, V. J. See Wellman, H. N.
Soiderer, M. H. See Cohn, H. J.
Solaric, E., Burstein, S. and Fischer, D. Circulatory dynamics in cerebral vascular disease, 438*
Solaric, E., Fischer, D. and Stewart, W. Liver imaging by sequential count subtraction, 439*
Solaric, E. See Fischer, D. S.
Soloway, A. H. See Roda, J. E.
Sonnemaker, R. See Burdine, J. A.
Sorenson, J. A., Briggs, R. C. and Cameron, J. R. ^{99m}Tc point source for transmission scanning, 252
Sorenson, J. A., Briggs, R. C. and Tyson, I. B. ^{99m}Tc source for transmission scanning, 439*
Sorenson, J. A. See Tyson, I.
Spar, I. L., Farrer, P. A., Rubin, P. and Jacox, R. ^{131}I-antifibrin antibody and ^{131}IHSA in rheumatoid arthritis, 371*
Spencer, H. H. See Nasjleti, C. E.
Spencer, R. P. Analog computer as training aid, 659
Spencer, R. P. and Banever, C. Growth of the human thyroid and liver, 372*
Spencer, R. P., Brody, K. R. and Treves, S. Distribution of ^{75}Se-carboxylic acids, 439*
Spencer, R. P. and Cornelius, E. A. Tumor and organ growth, 440*
Spencer, R. P.
See Antar, M. A.
See Chaudhuri, T. K.
See Cornelius, E. A.
See Treves, S.
Spitz, H. B. See Wellman, H. N.
Spolter, L. See Cohen, M. B.
Sprawls, P. Digital-computer interpretation of distribution, 618
Staab, E. V., Kelly, W. D. and Loken, M. K. Radioisotope renograms in kidney transplantation, 133
Staab, E. V. See Brill, A. B.
Stabler, E. P. See McAfee, J. G.
Stara, J. F. See Wolfangel, R. G.
Starr, P., Jaffe, H. L. and Oettinger, L. ^{131}I therapy in hyperthyroidism, 586
Staub, R. T. Heart-pool size and cardiac tamponade, 373*
Stauffer, M. E. and Williams, J. L. Complete pulmonary artery occlusion, 440*
Stefanovic, N. See Henegar, G. C.
Steiner, R. See Matin, P.
Steinhaeker, R. See Farrer, P. A.
Stern, H. S.
See Cooper, J. F.
See Rhodes, B. A.
Sternberg, J. and Trahan, L. Metabolism of selenium and α-tocopherol, 441*
Sternberg, J. See Lambert, G.
Stewart, C. See Samuels, L. D.
Stewart, W.
See Fischer, D. S.
See Solaric, E.
Stoops, T. D. and Hilts, S. V. Liver imaging with the autofluoroscope and scanner, 441*
Stoops, T. D. See Hilts, S. V.
Strauss, H. W., McIntyre, P. A. and Wagner, H. N. Plasma volume with ^{113m}In-transferrin, 443*
Strauss, H. W., Natarajan, T. K., Poulose, K. P., Sziklas, J. J. and Wagner, H. N. Serial lung scans in pulmonary embolism, 373*
Strauss, H. W. See Hurley, P. J.
Streeten, D. H. P. See Chodos, R. B.
Strickland, G. T. See Beckner, W. M.
Studer, R. and Potchen, E. J. Transcapillary transport of labeled proteins, 442*
Studer, R., Welch, M., Adatepe, M. and Potchen, E. J. Distribution of ^{13}N-labeled diamond dust, 442*
Studer, R.
See Adatepe, M.
See Archer, E. G.
See Holman, B. L.
Subramanian, G., Bell, E. G. and McAfee, J. G. Preparation of labeled gelatin, amylose and HSA microspheres, 373*
Subramanian, G. and McAfee, J. G. Sodium borohydride method for ^{99m}Tc labeling, 443*

Subramanian, G.
See Bell, E. G.
See O'Mara, R. E.
Sugita, H. See Nagai, T.
Sugita, T. See Ueda, H.
Surprenant, E. L. and Bilodeau, L. Cerebral flow studies with $^{99m}TcO_4^-$, 443*
Surprenant, E. L., Wilson, A. and Bennett, L. R. Clinical application of regional pulmonary-function studies, 374*
Sutherland, I. See Usher, M. S.
Sutton, J. D. and Eister, W. K. ^{123}I for diagnostic application, 444*
Suwanik, R. See Hidalgo, J. U.
Swanson, L. A. See Poe, N. D.
Sweet, W. H. See Roda, J. E.
Sziklas, J. J. See Strauss, H. W.
Tabern, D. L., Kearney, J. J., Van Camp, M. F. and Lofquist, E. Direct isotopic determination of serum T_4, 374*
Takayanagi, S. See Ueda, H.
Taplin, G. V. President's letter, Activities of Society, 663
Taplin, G. V.
See Isawa, T.
See Poe, N. D.
See Rodriguez, J.
See Yamada, H.
Tauber, J. A. and Scheibe, P. O. Visualization and enhancement of gamma camera output, 444*
Tauxe, W. N. Quantitative thyroid uptake of ^{131}I, 258
Tauxe, W. N. and Dolan, C. T. Double isotope estimation of depth, 188
Tauxe, W. N. and Hamamoto, K. Quantitative renography by a double-isotope technique, 375*
Tauxe, W. N. and Thorsen, H. C. Optimal dose-to-scan interval for $^{99m}TcO_4^-$ brain scanning, 34
Telfer, N. Residual sodium in chronic pulmonary obstructive disease, 444*
Telfer, N., Cornell, L. H. and Prescott, J. N. Dolphins: do they drink?, 375*
Thomas, F. D. and Beierwaltes, W. H. U-M Bendix scintillation camera, 445*
Thompson, K. H. See Paulus, J. M.
Thompson, S. W. Flow through branched system, 525
Thorsen, H. C. See Tauxe, W. N.
Tilbury, R. S., Mamacos, J. P. and Laughlin, J. S. Isochronous cyclotron radionuclide production, 376*
Tippetts, R. D. and Kenney, G. N. Elution of ^{99}Mo-^{99m}Tc generator, 550
Tong, E. C. K. Parathormone and ^{32}P therapy in metastatic prostate cancer, 376*
Torizuka, K., Fujii, M., Morita, R., Hamamoto, K. and Fukuda, M. Liver and gallbladder function, 445*
Tothill, P. Retention of polyvinylpyrrolidone, 296
Touya, E., Touya, J. J., Bekerman, C., Perillo, W., Guelfi, A. G., Osorio, A. and Ferrari, M. Colloidal ^{113m}In for subarachnoid space imaging, 376*
Touya, J. J. See Touya, E.
Trahan, L. See Sternberg, J.
Treves, S. and Spencer, R. P. Simultaneous radioisotopic and thermal scans, 446*
Treves, S. See Spencer, R. P.
Trow, R. S., Brown, D. W., Ahrens, C. A., Cleaveland, J. D. and Lee, J. I. ^{113m}In-aluminum hydroxide for lung scanning, 377*
Tubis, M. Book review, 609
Tubis, M., Blahd, W. H. and Endow, J. S. ^{203}Hg and ^{197}Hg chelates, 446*
Tubis, M. See Wolf, W.
Tuthill, J. E. See McAllister, J. D.
Tyson, I. B., Sorenson, J. A. and Korst, D. R. Iron distribution and kinetics, 378*
Tyson, I. B.
See Blank, R. J.
See Sorenson, J. A.
Uchiyama, G., Kakehi, H., Morita, S. and Ohmori, T. Thyroid scanning with ^{131}Cs, 378*
Ueda, H., Kameda, H. and Masahiro, I. Bromine and iodine in human liver by activation analysis, 447*
Ueda, H., Sasaki, Y., Iio, M., Kaihara, S., Machida, K., Ito, I., Takayanagi, S., Kabayashi, T. and Sugita, T. Cardiac output using semiconductor catheter detector, 713
Ueda, H. See Iio, M.
Usher, M. S., Westerman, B. R., Ammerman, E. G. and Sutherland, I. Long-term effects of indium administration, 447*
Usher, M. S. See Gottschalk, A.
Van Amburg, A. See Wochner, D.
Van Camp, M. F. See Tabern, D. L.
van Heerden, P. D. R. See Johnston, G. S.
Varma, V. M., Beierwaltes, W. H., Lieberman, L. M. and Counsell, R. E. Pancreatic concentration of ^{123}I-phenylalanine, 219
Varma, V. M., Beierwaltes, W. H. and Nishsyama, R. H. Treatment of thyroid carcinoma with ^{131}I, 378*
Varma, V. M., Boyd, C. M., Beierwaltes, W. H. and Lieberman, L. M. Comparison of two chloroquine analogs in malignant melanoma, 448*
Varma, V. M.
See Beierwaltes, W. H.
See Boyd, C. M.
See Lieberman, L. M.
Varrone, E. and Albert, S. N. Liquifluor counting of ^{35}S, 263
Verdon, T. A., Morel, D. E., Morita, E. T. and Allen, F. H. Liver-lung scans in sub-phrenic abscess, 448*
Verdon, T. A., Morel, D. E., Morita, E. T. and Allen, F. H. Placenta scanning, 449*
Verdon, T. A., Morita, E. T., Morel, D. E. and Allen, F. H. Hepatoma: Variable scan appearance, 449*
Verdon, T. A.
See Bernard, J. D.
See Christopherson, W. J.
See Morel, D. E.
See Ramirez, M.
See Wagner, S. C.
Vetter, H. Errors in radioisotope assay, 147
Vetter, H. G. See Pizer, S. M.
Victery, W.
See Cragin, M. D.
See Webber, M. M.
Vimokesant, S. See Winchell, H. S.
Vityé, B. and LeBel, E. Renal plasma flow, 735
Vodopick, H., Rupp, E. M., Comas, F. V., Goswitz, F. A. and Edwards, C. L. ^{32}P-DFP leukokinetic study of splenic irradiation in CGL, 449*
Vodopick, H. See Goswitz, F. A.
Vogel, J. M. and Anderson, J. T. Rectilinear transmission bone scanning, 379*
Vulpetti, A. T., Gastesi, R. A., Kosnik, L. T. and Preuss, L. E. ^{18}F for bone scanning, 449*
Wagner, H. N.
See Buchanan, J. W.
See Castronovo, F. P.
See DeLand, F. H.
See Gilday, D. L.
See Hosain, F.
See Hurley, P. J.
See Kaihara, S.
See Langan, J. K.
See Poulose, K. P.
See Rhodes, B. A.
See Strauss, H. W.
Wagner, S. C. and Verdon, T. A. Liver-spleen imaging in Hodgkin's disease, 450*
Walker, W. G. Figure of merit in imaging, 610
Wallerstein, R. O. See DeGrazia, J. A.
Walsh, J. R. See Coiner, D.
Walton, B. See Cleaveland, J. D.
Waltz, T. A. See Burdine, J. A.
Ward, C. A. and Woodbury, D. H. Thyroid blocking agents, 462*
Warner, G. G. See Snyder, W. S.
Wasserman, K. See Isawa, T.
Watts, J. R. See Brill, A. B.
Waxman, A. D., Leins, P. A. and Siemsen, J. K. Rose bengal kinetics, 450*
Waxman, A. D. See Siemsen, J. K.
Webb, R. See Webber, M. M.
Webber M. M., Bennett, L. R., Cragin, M. D., Victery, W. and Webb, R. Thrombosis demonstrated by scintiscanning, 379*
Webber, M. M., Wilk, S., Pirruccello, R. and Bennett, L. R. Point-to-point television in nuclear

medicine, 380*
Webber, M. M. See Cragin, M. D.
Weber, D. A., Greenberg, E. J., Dimich, A., Kenny, P. J., Rothschild, E. O., Myers, W. P. L. and Laughlin, J. S. Kinetics of radionuclides used for bone studies, 8
Weber, P. M. See O'Reilly, S.
Weber, P. M., dos Remedios, L., Fish, M. and Pollycove, M. Comparison of ^{131}I and ^{99m}Tc for thyroid imaging, 451*
Weber, P. M., O'Reilly, S., Pollycove, M. and Sargent, T. Total-body turnover of ^{67}Cu, 451*
Weber, P. M., O'Reilly, S., Pollycove, M. and Shipley, L. Gastrointestinal absorption of copper, 591
Weinhold, P. See Lieberman, L. M.
Weinstein, M. B. and Smoak, W. M. Selenomethionine in cold thyroid nodules, 452*
Weinstein, M. B. See Smith, E. M.
Welch, M., Hill, T., Adatepe, M. and Potchen, E. J. Indium chelates for brain and kidney scanning, 452*
Welch, M.
See Adatepe, M.
See Holman, B. L.
See Studer, R.
See Welch, T. J.
Welch, M. H., Richardson, R. H., Whitcomb, W. H., Hammersten, J. F. and Guenter, C. A. α-1-antitrypsin deficiency lung scan, 687
Welch, M. J. See Penkoske, P.
Welch, T. J., Penkoske, P., Welch, M. and Potchen, E. J. Chemistry of generator produced ^{113m}In, 452*
Welch, T. J. See Penkoske, P.
Wellman, H. N., Mack, J. F., Romhilt, D. W., Gandel, P., Holmes, J. C., Spitz, H. B. and Fenton, J. C. Scintigraphy and angiography in pulmonary arterial obstructive disease, 380*
Wellman, H. N., Mack, J. F., Saenger, E. L. and Sodd, V. J. Clinical use of ^{123}I, 381*
Wellman, H. N.
See Crist, J.
See Ingraham, S. C.
See Mack, J. F.
See Sodd, V. J.
Werch, A. See Burdine, J. A.
Westerman, B. See Sharma, R. R.
Westerman, B. R., Quinn, J. L. and Johnson, R. M. Transmission scanning, 381*
Westerman, B. R.
See Crews, M. C.
See Usher, M. S.
Wetzel, R. A. See Marlen, C. J.
Wheeler, D. A. See Holmes, R. A.
Whitcomb, W. H. See Welch, M. A.
Wilcox, F. W., Edgar, W. H. and Brown, W. R. Collimator for brain scintiphotography, 297
Wilcox, W. C. See Hilts, S. V.
Wilensky, S., Humes, R., Pizer, S., Brownell, G. and Littleboy, H. Hybrid scintiscan display system, 381*
Wilk, S. See Webber, M. M.
Willems, J. See Paulus, J. M.
Williams, H. See Brill, A. B.
Williams, J. L.
See Murano, R.
See Stauffer, M. E.
Williams, M. A. See Ngo, T. M.
Wilson, A.
See Poe, N. D.
See Surprenant, E.
Winchell, H. S., Fish, M. and Pollycove, M. Kinetics of the CO_2-HCO_3^- pool, 382*
Winchell, H. S., Vimokesant, S. and Raley, R. Radiation effects on DNA, 624
Winchell, H. S.
See Chaudhuri, T. K.
See Chernelch, M.
See Fawwaz, R. A.
See Landaw, S. A.
See Ngo, T. M.
See Ronai, P.
See Winstead, M. B.
Winstead, M. B., Winchell, H. S., Fawwaz, R. and Lawrence, J. H. Synthesis and use of ^{11}C-carboxylic acids, 382*
Winstead, M. See Fawwaz, R. A.
Winters, E. E. See Kawan, B.
Wise, G. See Griep, R. J.
Wissenburg, A. L. See Cleaveland, J. D.
Witcofski, R. L. See Maynard, C. D.
Witherspoon, L. R. See Meckstroth, G. R.
Witt, R. L. See Mack, J. F.
Wochner, D., Van Amburg, A., Adatepe, M. and Potchen, E. J. Plasma volume using ^{113m}In transferrin, 383*
Wolf, W. and Tubis, M. Training radiopharmacists, 383*
Wolfangel, R. G. and Stara, J. F. ^{131}I-tetracycline distribution in cats, 697
Woodbury, D. H. and Yanez, J. E. Pancreas scanning in diabetic patients, 453*
Woodbury, D. H. See Ward, C. A.
Wright, F. J. See Newhouse, M. T.
Yamada, H., Johnson, D. E., Griswold, M. L. and Taplin, G. V. Radioalbumin macroaggregates, 453*
Yamada, H., MacDonald, N. S. and Taplin, G. V. ^{99m}Tc labeled serum albumin, 454*
Yanez, J. E. See Woodbury, D. H.
Yano, Y., McRae, J. and Anger, H. O. Pulmonary dynamics with ^{81m}Kr, 384*
Yano, Y., McRae, J., Honbo, D. S. and Anger, H. O. ^{99m}Tc $Fe(OH)_3$ macroaggregates, 683
Yashiro, S. See Nagai, T.
Yeh, S. H., Delahey, J. E. and Kriss, J. P. ^{99m}Tc macroaggregated thionin for lung scanning, 117, 454*
Yeh, S. H., Ohlsen, J., Kountz, S. L. and Kriss, J. P. ^{99m}Tc-Fe colloid in rabbits, 56
Youichi, I. See Oldendorf, W. H.
Young, J. D., Byrnes, D. J., Chisholm, D. J., Griffiths, F. B. and Lazarus, L. Radioimmunoassay of gastrin in human serum using antiserum against pentagastrin, 746
Young, J. D., Lazarus, L., Chisholm, D. J. and Atkinson, F. F. V. Radioimmunoassay of pancreozymin cholecystokinin in human serum, 743
Young, R. F. and Kudzma, D. J. Thyroid carcinoma causing thyrotoxicosis, 454*
Youssef, N. R. See Aquino, J. A.
Zeiger, L. S. See Harbert, J. C.

1969 SUBJECT INDEX

Asterisk indicates abstract

Absorbed fraction
radiation dosimetry, phantoms, MIRD Pamphlet #5
Absorption
gamma radiation by skull, 184
gastrointestinal, ^{198}Au and ^{51}Cr, 331*
gastrointestinal, ^{51}Cr in elderly and diabetic patients, 393*
gastrointestinal, ^{59}Fe, in dogs, 392*
Activation analysis
see Neutron activation analysis
Adrenal glands
^{14}C-dopamine in neuroblastoma, 93
Albumin
also see Iodine-131, albumin; Iodine-125; Technetium-99m
^{125}I-labeled, double tag blood volume, ^{51}Cr-RBC, 400*
^{131}I-labeled, cardiac output, 458*
^{131}I- or ^{99m}Tc-labeled microaggregates, RES function and scanning, 453*

$NaBH_4$ method of labeling with ^{99m}Tc, 443*
structure of heat microaggregated, 414*
^{99m}Tc, kit for sterile preparation, 328*
^{99m}Tc labeled micropheres, lung imaging, 432*

Albumin, macroaggregated
see Iodine-131, macroaggregated albumin; Technetium-99m

Albumin, microaggregated
see Technetium-99m

Americium-241
fluorescence detection, cerebral blood flow, 651
rectilinear transmission scanning for bone mineral content, 379*

Angiography
cerebral, scintillation camera, $^{99m}TcO_4^-$, 354*
cerebrovascular accidents, $^{99m}TcO_4^-$, 401*
comparison with lung scintiphotography, 380*
comparison with scanner and scintillation camera, for brain tumor, 349*

Angiotensin II
radioimmunoassay, 347*

Antimony-125
α-1-antitrypsin deficiency, lung scanning, 687
uptake, distribution and retention, in mice, 436*

Assay
^{131}I capsule count variation, effect on thyroid uptake, 461*
radioassay ^{14}C-hemoglobin, 261
radiopharmaceutical, 147, 558
thyrotropin, 356*
thyroxine, comparison radioisotope and column chromatography methods, 281

Autofluoroscope
cerebral blood flow with $^{99m}TcO_4^-$, 410*, 501
circulatory dynamics in cerebral vascular disease, 438*
clinical evaluation, 408*
design of dynamic phantoms, 416*
liver imaging, ^{198}Au colloid, 441*
liver imaging by sequential count subtraction, 439*
lung imaging, 341*
myocardial blood flow with ^{133}Xe, 412*

Autoradiography
"hot" thyroid nodules, ^{131}I and ^{125}I, 691
kidney distribution of radionuclides, in rabbits, 362*

Barium-137m
EDTA, sustained infusion system, in dogs, 242

Bicarbonate
kinetics of CO_2-HCO_3^- pool, 382*

Blood
exchange in liver failure, 408*
hemoglobin kinetics, in animals, 352*
lymphocyte kinetics in chronic lymphocytic leukemia, 404*
myocardial blood flow with ^{84}Rb, in dogs, 83

Blood plasma
volume measured by ^{113m}In-transferrin space, 383*

Blood volume
change in spaceflight, 346*
double tag, ^{51}Cr-RBC and ^{125}I-albumin, 400*
^{113m}In-gelatin, comparison with ^{131}I-albumin, 402*
^{113m}In transferrin, 397*, 442*
prediction, 407*
preparation of ^{113m}In compound in closed system, 318*
pulmonary, effects of isoproterenol and methacholine, 427*
use of total-body hematocrit, 350*

Board of Nuclear Medicine
report on negotiations, 55, 663

Bone
^{47}Ca kinetics, effects of radiation therapy, 338*
imaging with HEDTA complexes of ^{153}Sm, ^{171}Er and ^{177}Lu, in rabbits, 49
joint, scintiphotography, $^{99m}TcO_4^-$, 356*
parathormone and ^{32}P therapy, 376*
permissible levels for bone-seekers, 406*
radiation damage from therapy, ^{18}F imaging, 320*
rectilinear transmission scanning for mineral content, 379*
rectilinear transmission scanning, ^{99m}Tc point source, 252
spondylitis, ^{85}Sr, comparison of analytic procedures, 213
total body, imaging, 431*

Bone marrow
erythropoietic, ^{59}Fe whole-body scanning, 469
imaging, ^{99m}Tc-S colloid, in children with thalassemia, 351*
^{131}I, ^{99m}Tc microaggregated albumin, 453*
preparation of ^{113m}In colloid in closed system, 318*
post-irradiation RE cell and erythron function, in rabbits, 361*
radiation damage from therapy, imaging with ^{99m}Tc-S colloid, 320*
^{99m}Tc-Fe colloid for imaging, in rabbits, 56

Bone scanning
comparison ^{85}Sr and ^{87m}Sr, 491
^{18}F, 449*
^{18}F, ^{47}Ca, ^{85}Sr, ^{87m}Sr and ^{68}Ga kinetics, 8
^{67}Ga citrate, 332*
interference by oral barium, 145, 146
^{177}Lu, ^{171}Er, ^{153}Sm, 363*
^{85}Sr in metastatic carcinoma, 429*
^{85}Sr in osteoarthritis, 109

Book Review
Radioaktive Isotope in Klinik und Forschung, 609
Thermoluminescent Dosimetry, 609

Boron-10
RBE in neutron capture therapy, 329*

Brain
angiography in CVA with $^{99m}TcO_4^-$, 401*
arteriography, ^{99m}Tc, 358*
arteriovenous malformations, $^{99m}TcO_4^-$ and ^{197}Hg-chlormerodrin, 413*
cerebral lesions due to x-radiation, mouse fetus, 68
circulatory dynamics in cerebral vascular disease, 438*
comparison angiography, scanner and scintillation camera, for tumor, 349*
^{197}Hg and ^{203}Hg chelates, distribution, 446*
^{113m}In EDTA and -DTPA compared with $^{99m}TcO_4^-$, localization, in hamsters, 290
K $^{54}MnO_4$ distribution, in rabbits, 205
preparation of ^{113m}In chelate in closed system, 318*, 452*
scintiangiography, $^{99m}TcO_4^-$, 354*
stereoscintiphotography, 326*
^{99m}Tc localization in tumor cell cultures, 349*
tissue vascularity in $^{99m}TcO_4^-$ and ^{197}Hg-chlormerodrin scans, 553
tumor, concentration $^{99m}TcO_4^-$ affected by perchlorate, in mice, 350*

Brain, blood flow
adjunct with infrared thermography, 430*
computer analysis, 410*
fluorescence detection, 651
^{113m}In-EDTA, $^{99m}TcO_4^-$, scintillation camera, 324*
$^{99m}TcO_4^-$, 443*
$^{99m}TcO_4^-$, autofluoroscope, 438*, 501
^{133}Xe, eight and sixteen detector scanners, 164

Brain imaging
adjunct with echoencephalography, 430*
analysis of imaging techniques with digital simulation, 389*
comparison of scanner and scintillation camera, 359*
delayed imaging with ^{203}Hg-chlormerodrin and $^{99m}TcO_4^-$, 423*
echoencephalography and $^{99m}TcO_4^-$, choroid plexus, 403*
identification of gamma rays originating external to skull, 740
^{113m}In-DTPA and $^{99m}TcO_4^-$, comparison, 18

scintiphotography, cerebrovascular accidents, 355*
$^{99m}TcO_4^-$ and ^{131}I-HSA, scalp and skull content, 177
Brain scanning
cerebrovascular accidents, 330*
dual channel, with $^{99m}TcO_4^-$ and ^{75}Se-selenomethionine, 155
gamma radiation absorption, by skull, 184
optimizing scans with Dynapix and $^{99m}TcO_4^-$, 456*
simultaneous cisternography, 348*
$^{99m}TcO_4^-$, effect of tantalum skull plate, 140
$^{99m}TcO_4^-$, optimal dose-to-scan interval, 34
$^{99m}TcO_4^-$, premedication, 254
$^{99m}TcO_4^-$, subdural hematoma, 322*
^{169}Yb-DTPA comparison with $^{99m}TcO_4^-$, 335*
Bromine-82
determinations in fingernails, 730
residual Na in chronic obstructive pulmonary disease, 444*
Cadmium-109
lipid-protein ratios, *in vitro* tissue, 366*
Calcium-47
bone scanning, comparison with ^{18}F, ^{85}Sr, ^{87m}Sr and ^{68}Ga, 8
kinetics, effects of radiation therapy to bone metastasis, 338*
Calcium-49
whole-body calcium, neutron activation analysis, 360*
Camera, image-intensifier
myocardial blood flow with ^{133}Xe, 412*
Camera, positron
^{11}C-carboxylic acids for imaging, 382*
lung with ^{68}Ga-labeled $Fe(OH)_3$ macroaggregates, in animals, 328*
Camera, scintillation
bone joint imaging, $^{99m}TcO_4^-$, 356*
brain, correlation with radiography, 419*
cardiac stroke volume, with data processor, 369*
carotid artery obstruction, 339*
central circulation dynamics, 338*
cerebral angiography, $^{99m}TcO_4^-$, 354*, 358*
cerebral angiography in CVA with $^{99m}TcO_4^-$, 355*, 401*
collimator selection for $^{99m}TcO_4^-$ brain imaging, 297
comparison, Magnacamera and Pho/Gamma, 407*
comparison with angiography in lung, 380*
comparison with scanner and angiography, for brain tumors, 349*
comparison with scanner, for brain, 359*
comparison with tomographic scanner, 356*
computer for on-site analysis of data, 325*
development of the Dynacamera, 422*
diverging collimator, 197, 425*
diverging collimator, resolution, 337*
figure of merit, 610, 611
gastrointestinal tract, ^{61}Cu and ^{95}Zr, 591
^{131}I-tetracycline distribution, in cats, 697
IHSA aerosol in lung, 361*
^{111}In colloid for visualization of lymphatic system, 337*
kidney function with computer analysis, 418*
kidney mass differentiation, combined with ultrasonography, 367*
kidney perfusion and function, 435*
liver and gallbladder function, 445*
liver cyst-tumor differentiation with ^{99m}Tc-S colloid, 319*
lung, ^{198}Au-iron oxide particle aerosol, deposition and clearance, 460*
lung, comparison with angiopneumography and bronchospirometry, 174
mitral valve disease, $^{99m}TcO_4^-$, 357*
modulation transfer function effects, 359*
optimal window setting for ^{99m}Tc, 369*
pancreas angiography with $^{99m}TcO_4^-$, in dogs, 389*
physiological triggers, 436*
pulmonary dynamics using ^{81m}Kr, 384*
pulmonary perfusion in embolism, 571
quantitative analysis of liver, spleen and lung studies, 409*
quantitative studies with computer, 419*
records system, 460*
renogram, compared with IVP, in pediatrics, 370*
selection of Polaroid film, 127
statistical enhancement and exposure normalization of images, 434*
$^{99m}TcO_4^-$ cardiac blood flow, 270
^{99m}Tc $Fe(OH)_3$ for lung, 683
time lapse videoscintiscope, 249
tomography, theoretical considerations, 654
University of Michigan-Bendix Mark III, 445*
ventilation-perfusion studies with ^{133}Xe, 355*, 374
videotape for collecting digital data, 324*
videotape recording in coronary blood flow, in dogs, 323*
visualization and enhancement of output, 444*
Camera, spark imaging
pyramidal thyroid lobes, 519
Carbon-11
carboxylic acids, preparation and use for imaging, 382*
cyclotron production, 376*
Carbon-14
acetate, thiamine deficiency, in rats, 362*
acetate uptake by bone marrow in hypoplastic anemia, 410*
bicarbonate, kinetics of CO_2-HCO_3^- pool, 382*
^{14}CO technique, hemoglobin kinetics, in animals, 352*
decay scheme, nuclear parameters, radiation dose, MIRD pamphlet 4
dopamine, in adrenal medulla and neuroblastoma, 93
fat malabsorption test using fatty acids, 385*
glucose turnover, in dogs, 98
hemoglobin, radioassay, 261
phenylalanine, distribution, in mice, 219
pyruvate, thiamine deficiency, in rats, 362*
radiation effect on metabolism of monocarbon fragments, 424*
tryptophane, distribution, 342*
uptake of cholesterol in adrenal cortex, in dogs, 387*
Carbon dioxide
kinetics of CO_2-HCO_3^- pool, 382*
Carboxylic acids
^{11}C-labeled, preparation and use for imaging, 382*
^{75}Se-labeled, distribution, 439*
Cardiac
see Heart
Celiac angiography
combined with imaging in diagnosis of liver disease, 628
Cerebral blood flow
see Brain, blood flow
Cerebrovascular accidents
angiography with $^{99m}TcO_4^-$, 355*, 401*
interpretation in brain scans, 330*
Cesium-131
autoradiography, rabbit kidney, 362*
determination of malignancy of tumor in thyroid, 378*
Cesium-137
decay scheme, nuclear parameters, radiation dose, MIRD Pamphlet #4
Cesium-141
ceramic microspheres, renal blood flow by autoradiography, in rabbits, 362*
Chelates
^{137m}Ba-EDTA, sustained infusion system, in dogs, 242
HEDTA, ^{153}Sm, ^{171}Er, ^{177}Lu, for bone imaging, in rabbits, 49
^{197}Hg and ^{203}Hg labeled, distribution and kidney function, 446*
^{113m}In-DTPA, for brain imaging, compared with $^{99m}TcO_4^-$, 18
^{113m}In-DTPA for GFR, 422*

^{113m}In-EDTA and DTPA, brain, compared with $^{99m}TcO_4^-$, in hamsters, 290
^{113m}In-EDTA for GFR, 400*
^{113m}In labeled, preparation for brain and kidney scanning, 452*
metabolic fate of In-Fe-DTPA, 409*
$NaBH_4$ method of labeling with ^{99m}Tc, 443*
^{99m}Tc-DTPA, autoradiography, rabbit kidney, 362*
^{99m}Tc, ^{113m}In, ^{171}Er for cisternography, in monkeys, 321*
^{169}Yb-DTPA for brain scanning, 335*
^{169}Yb-DTPA for kidney function, 385*

Chest
scanning of pneumonias with labeled thyroid hormones, iodide and pertechnetate, 424*

Chlormerodrin
see Mercury-197, chlormerodrin; Mercury-203, chlormerodrin

Chloroquine
^{123}I analogs, concentration in malignant melanomas, 448*
^{123}I and ^{131}I labeled, in malignant melanoma, 323*
^{131}I, malignant melanoma therapy, in dogs, 354*

Cholesterol
^{14}C-labeled, uptake in adrenal cortex, in dogs, 387*

Choline
intake, effect on ^{54}Mn retention, 388*

Chromatography
separation of iodo compounds, 722

Chromium-48
cyclotron production, 376*

Chromium-51
absorption in elderly and diabetic subjects, 393*
cisternography, in monkeys, 321*
decay scheme, nuclear parameters, radiation dose, MIRD pamphlet 4
β-glycerophosphate for tumor localization, in rats, 318*
heat-denatured red cells for spleen scanning, 480
intestinal absorption, 331*
lymphocytes, kinetics in chronic lymphocytic leukemia, 404*
platelet life span and production, 395*, 426*

Chromium-51, red blood cells
blood volume, double tag, ^{125}I-albumin, 400*
lung scanning in idiopathic pulmonary hemosiderosis, 106, 433*
measurement of blood exchange, 408*
spleen scanning, ACD damaged, 357*
spleen scanning and clearance, 410*

Cisternography
evaluation of short-lived radioactive agents, in monkeys, 321*
^{131}I-HSA, spinal cord dosimetry, 340*
^{113m}In colloid, 376*
simultaneous brain scan, 348*

Cobalt-57
decay scheme, nuclear parameters, radiation dose, MIRD Pamphlet #4
Schilling test and plasma level of vitamin B_{12}, 457*

Cobalt-58
hematoporphyrin complex, lymph node localization, in dogs, 581

Cobalt-60
decay scheme, nuclear parameters, radiation dose, MIRD Pamphlet #4
vitamin B_{12} uptake with whole-body counter, 431*

Collimator
diverging, resolution by MTF, 337*
diverging, scintillation camera, 197, 425*
line source response, MTF, 394*
nonfocused, 3D scanning, 391*
5-in. focus, lateral view thyroid and kidneys, 459*

Colloids
albumin microspheres, ^{99m}Tc, transpulmonary shunting, 344*
distribution, effect of electrophoretic mobility, 387*
human serum albumin as stabilizer for ^{99m}Tc-S colloid, 294
^{113m}In-Fe, preparation, liver and spleen imaging, 597
particle sizing, 387*
stabilization by polyhydric alcohols, 607
^{99m}Tc, ^{171}Er for cisternography in monkeys, 321*
^{99m}Tc $Fe(OH)_3$ preparation and lung scanning, 737
^{99m}Tc-S, stabilized with HSA, 461*

Computer
aid to depth discrimination, dual isotope technique, 188
calculation of well scintillator efficiency, 371*
desk-top digital, 327*
digital analysis and display of scans, 389*
digital, differential-operator focusing, scanner, 209
digital, estimation of ^{131}I thyroid uptake from scintiscan matrices, 258
functional image from dynamic measurements, 347*
gamma spectrum analysis, 417*
instruction in nuclear medicine, 339*
interpretation of distribution patterns, thyroid, 618
interpretation of scans, 404*
^{131}I-rose bengal kinetics, 450*
kidney function, 418*
kidney perfusion and function, scintillation camera, 435*
microfilming system, 562
on-site analysis of scintillation camera data, 325*
platelet life span and production, 426*
presentation of data for chromatographic separation of iodo compounds, 722
processing images, 150
pulmonary-function studies, 353*
quantitative studies, scintillation camera, 419*
radiopharmaceutical inventory, 405*
regional pulmonary dynamics, 438*
scanning process simulation, 416*
simulated brain images, analysis of techniques, 389*
simulated kidney scans, performance of observers, 369*, 415*
thyroid scanning, data averaging and analysis, 393*
tomography with a scintillation camera, theoretical considerations, 654
training aid in nuclear medicine, 660
visualization and enhancement of gamma camera output, 444*

Contrast efficiency function
spatial resolution characteristics of scanners, 433*

Copper-64
gastrointestinal absorption, 591

Copper-67
absorption and retention in hemochromatosis, 402*
detection of the heterozygote of Wilson's disease, 143
metabolism in Wilson's disease, 320*
total-body turnover, Wilson's disease, 451*

Coronary blood flow
semiconductor detector, 345*

Coumadin
effect on thyroid hormone binding in serum, 511

Counting
^{125}I and ^{75}Se in the same sample, 46

Cows
see Generators

Cyclotron
^{67}Ga production, 343*
^{123}I production, 371*
isotope production, 376*

Cysteamine
radiation-protection of leukocytes, 495

Cystic Fibrosis
determination by trace elements, 730

Data blending
magnifying glass, 417*

Data processing
with camera, 369*
Detector
absolute detection efficiency of NaI(Tl) well crystal, 428*
Ge(Li), ^{125}I thyroid, 136
high-resolution gamma-ray spectrometry, fingernails, 730
semiconductor, catheter technique for cardiac output, 713
semiconductor, for heart, 345*
Si(Li), fluorescence detection, cerebral blood flow, 651
Diabetes
pancreas scanning, 453*
Diamond dust
^{13}N labeled, effect of particle size on organ distribution, 442*
Diiodotyrosine
chromatographic separation, 722
Digital computer
see Computer
Display system
analog-digital, 382*
serial lung scans, pulmonary embolism, 373*
three-dimensional, camera, 326*
three-dimensional, eight detector, 363*
Diuresis
hyperbaric effects, 360*
Diuretics
augmentation of ^{131}I uptake in thyroid cancer, 340*
DNA
effect of radiation on synthesis and thymidine incorporation, 624
Dolphins
water intake, 375*
Dopamine
^{14}C- in adrenal medulla and neuroblastoma, 93
Dosimetry
absorbed dose estimation, mathematical phantom, MIRD Pamphlet #5
book review,
Thermoluminescent Dosimetry, 609
decay schemes and nuclear parameters, MIRD pamphlet 4
dose rate in radiological and nuclear medicine procedures, 295
^{131}I-hippuran, renograms in pediatrics, 423*
^{132}I, for thyroid, 752
permissible levels for bone seekers, 406*
spinal cord, ^{131}IHSA cisternography, 340*
^{99m}Tc-albumin, in pregnancy, 224
Echoencephalography
use with $^{99m}TcO_4^-$ brain imaging, 403*, 430*
Education
computer, a training aid in nuclear medicine, 660
explanation of procedures to patients, 462*
master's program in radiopharmacy, 383*
Society of Nuclear Medicine Education and Research Foundation, 257
Electrophoretic mobility
spleen trapping of altered RBC's, 391*
tissue distribution of metabolizable colloids, 387*
Erbium-171
bone imaging, 363*
cisternography in monkeys, 321*
HEDTA complex for bone imaging, in rabbits, 49
Erythrocyte
see Red blood cell
Eye
blood flow measured with ^{133}Xe, 333*
Fat malabsorption
^{14}C-fatty acids, specific activity of expired $^{14}CO_2$, 385*
Fetus
^{99m}Tc-albumin, distribution and dosimetry, 224
x-radiation effects, in mice, 68
Fibrinogen
^{131}I labeled, survival study, 322*
^{131}I labeling, 410*
Flow rates
measurement, branched system phantom, 525
Fluorescence
cerebral blood flow, 651
Fluorine-18
autoradiography, rabbit kidney, 362*
bone imaging for radiation damage, 320*
bone scanning, 449*
bone scanning, comparison with ^{47}Ca, ^{85}Sr, ^{87m}Sr and ^{68}Ga, 8
cyclotron production, 376*
decay scheme, nuclear parameters, radiation dose, MIRD pamphlet 4
Folate
human deficiency, oxidation of beta carbon of serine, 329*
Function
computer images, dynamic, 347*
Gallbladder
^{131}I-rose bengal, function with camera, 445*
K $^{50}MnO_4$ distribution, in rabbits, 205
radioimmunoassay of cholecystokinin using ^{131}I, 743
Gallium-67
citrate, soft tissue tumor and bone scanning, 103, 332*
citrate, for tumor scanning, 103
cyclotron production, 343*
uptake in soft tissue tumors, 406*
Gallium-68
chemistry of EDTA complex, 396*
citrate for bone scanning, comparison with ^{18}F, ^{47}Ca, ^{85}Sr and ^{87m}Sr, 8
$Fe(OH)_3$ macroaggregates for lung with positron camera, in animals, 328*
Gastric secretion
$^{99m}TcO_4^-$, 367*
Gastrin
radioimmunoassay in human serum using antiserum, 746
Gastrointestinal tract
absorption, ^{198}Au marker, 331*
absorption of copper, 591
absorption of ^{59}Fe, in dogs, 392*
Gelatin
$NaBH_4$ method of labeling with ^{99m}Tc, 443*
Generator
^{113m}In chemistry, 452*, 646
^{81m}Kr, pulmonary dynamics, 384*
^{99}Mo-^{99m}Tc, elution, 461*
yields of $^{99m}TcO_4^-$, 456*
Glomerular filtration rate
^{60}Co-vitamin B_{12}, schistosomiasis, 398*
^{3}H-mannitol, 411*
^{131}I-Na-iothalamate, 297, 298
^{113m}In-DTPA, 422*
^{113m}In-EDTA, 400*
Glucose
turnover, in dogs, using ^{14}C, 98
β-glycerophosphate
^{51}Cr labeled for tumor localization, in rats, 318*
Gold-198
cisternography, simultaneous brain scan, 348*
decay scheme, nuclear parameters, radiation dose, MIRD Pamphlet #4
determination in fingernails, 730
dual-channel pancreas scanning, with ^{75}Se-selenomethionine, 78, 155
dual-channel scanning, focal lesion of liver, 348*
false-positives in liver imaging, 334*
labeled iron oxide particle aerosol, in airway obstruction, 460*

liver imaging with autofluoroscope and scanner, 441*
liver metastasis, scanning, 434*
liver scanning, 628
liver scanning, comparison with ^{99m}Tc-S colloid, 391*
marker for intestinal absorption, 331*
mediastinal lymph node, scanning, 749
sub-phrenic abscess, 448*
Graft-versus-host reactions
study using radioisotope techniques, 396*
Grignard
preparation ^{11}C-carboxylic acids, 382*
Heart
angiocardiography, ventricular and aortic disease, 351*
cardiac blood-flow, 270
cardiac output with ^{131}I-HSA, 458*
cardiac output using semiconductor detector, 713
cardiac stroke volume, camera, 369*
coronary blood flow and cardiac output, 417*
coronary blood flow, coincidence counting of ^{86}Rb, 336*
coronary blood flow, in dogs, 323*
evaluation of compressive heart disorders with ^{99m}Tc and ^{131}I-HSA, 373*
imaging, cardiac shunts, 344*
mitral valve disease, $^{99m}TcO_4^-$ angiocardiography, 357*
myocardial blood flow using ^{42}K, 437*
myocardial blood flow with ^{133}Xe, 412*
myocardial clearance of ^{42}K and ^{86}Rb, 702
myocardial infarcts, potential of toluidine blue, 413*
myocardium visualization with ^{75}Se-selenomethionine, 155
pericardial effusion, combined heart-lung scan, 390*
pericardial effusion, $^{99m}TcO_4^-$ angiocardiography, 233, 430*
pericardial effusion, ultrasound and radionuclide imaging, 429*
sodium and water space studies, 407*
transmission imaging, ^{99m}Tc, 381*
transmission imaging, ^{99m}Tc point source, 439*
transpulmonary shunting, quantification, 344*
Hemochromatosis
^{54}Mn and ^{67}Cu absorption and retention, 402*
Hemoglobin
^{14}C-labeled, radioassay, 261
Hippuran
see Iodine-131, hippuran; Kidney renography
Hodgkin's disease
liver-spleen imaging with ^{99m}Tc-S colloid, 450*
Hormones
radioimmunoassay of pancreozymin cholecystokinin in human serum, 743
Hydrocephalus
$^{99m}TcO_4^-$ for treatment, 322*
Hydrogen-3
see Tritium
Hypertension
evaluation of ^{197}Hg-chlormerodrin kidney scan, 399*
total-body potassium, 427*
Hyperthyroidism
propanolol and ^{131}I treatment, 403*
Hypoplastic anemia
radionuclide studies, 410*
Hypothalamus
^{75}Se-selenocystine localization, in dogs, 321*
Idiopathic pulmonary hemosiderosis
^{51}Cr-RBC lung scanning, 433*
Indicator
thymol blue for $^{113m}In \cdot Fe(OH)_3$ preparation, 633
Indium
long term effects of In administration, 447*
Indium-111
lymphatic scintiphotography with colloid, 337*
tumor localization, in rats, 343*
Indium-113m
agents for cisternography in monkeys, 321*
albumin aerosol for inhalation scanning, 428*
aluminum hydroxide preparation for lung, animal studies, 377*
blood plasma volume measured by ^{113m}In-transferrin space, 383*
blood volume, comparison with ^{131}I-albumin, 402*
blood volume determination, 397*
chemistry, generator produced, 452*, 646
colloid, cisternography, 376
colloid, quantitative liver and spleen function, 409*
colloid preparation, liver and spleen imaging, 597
decay scheme, nuclear parameters, radiation dose, MIRD pamphlet 4
gelatin complex, placental imaging, 324*
iron hydroxide for dynamic lung studies, 324*
iron hydroxide in pulmonary embolism, 331*
kinetics of labeled transferrin in pregnant rats, 338*
labeling of albumin microspheres, 487
macroaggregates, lung scintiphotos and quantitative analysis, 409*
preparation of albumin aggregates, 368*
preparation of organ specific compounds in closed system, 318*
transferrin, plasma volume, 442*
Indium-113m, chelates
DTPA, brain blood flow, 324*
DTPA, brain imaging, compared with $^{99m}TcO^-_4$, 18
DTPA complex for GFR, 422*
-EDTA and -DTPA, brain, compared with $^{99m}TcO_4^-$, in hamsters, 290
EDTA, GFR, 400*
preparation of brain and kidney agents, 452*
Indium-113m, iron hydroxide
preparation using indicators, 633
Indium-114
DTPA complex, metabolism, 409*
Infrared thermography
carotid occlusive disease, cerebral blood flow, 430*
Inulin
^{99m}Tc-labeled, cisternography, in monkeys, 321*
Iodine-121
cyclotron production, 376*
Iodine-123
compared to ^{131}I for thyroid studies, 381*
cyclotron production, 371*, 376*
decay scheme, nuclear parameters, radiation dose, MIRD pamphlet 4
diagnostic application, 444*
effect of ^{124}I on thyroid scanning, 457*
thyroid studies with Ge(Li) detector, 136
Iodine-124
contamination in ^{123}I, effect on thyroid scanning, 381*, 457*
Iodine-125
albumin, blood volume, double tag, ^{51}Cr-RBC, 400*
albumin, kidney blood flow with camera, 411*
and ^{131}I-hippuran, double isotope renography, 375*
angiotensin II, assay of renin, 347*
autoradiography, "hot" thyroid nodule, 691
chloroquine analogs, concentration in malignant melanomas, 323*, 448*
counting with ^{75}Se in the same sample, 46
decay scheme, nuclear parameters, radiation dose, MIRD pamphlet 4
double isotope method of depth discrimination, with ^{131}I, 188
gamma radiation absorption by skull in brain scanning, 184
lymphocytes, metabolic fate, in rats, 327*
phenylalanine analogs, uptake in parathyroid and pancreas, in dogs, 398*

phenylalanine, distribution in mice, 219
rectilinear transmission scanning for bone mineral content, 379*
scattered radiation, 417*
thyroxine, serum T_4 determination, 374*
toluidine blue, distribution in rat, 386*
tryptophane, distribution, 342*

Iodine-131
agents for cisternography, in monkeys, 321*
antifibrin antibody, in rheumatoid arthritis, 371*
autoradiography, "hot" thyroid nodule, 691
chloroquine, in malignant melanoma, 323*
chloroquine therapy, malignant melanoma, in dogs, 354*
chromatographic separation of iodo compounds, 722
comparison with ^{125}I for thyroid studies, 381*
decay scheme, nuclear parameters, radiation dose, MIRD pamphlet 4
diuretic augmentation of uptake in thyroid cancer, 340*
double isotope method of depth discrimination, with ^{125}I, 188
fibrinogen labeling, 410*
fibrinogen, survival study, 322*
gamma radiation absorption by skull in brain imaging, 184
iothalamate and ^{113m}In-EDTA for GFR, 400*
large initial therapy dose, 341*
lymphocytes, metabolic fate, in rats, 327*
lysozyme, autoradiography, rabbit kidney, 362*
method for determining serum thyroxine, 428*
minimum activity required for thyroid studies, 475
Na-iothalamate, GFR, 297, 298
polyvinylpyrrolidone (PVP), retention and storage sites, 295, 296
radioimmunoassay of pancreozymin cholecystokinin in human serum, 743
rose bengal hepatogram, 435*
rose bengal kinetics, computer analysis, 450*
rose bengal, liver and gallbladder function, 445*
rose bengal liver scanning, 628
tetracycline, distribution, in cats, 697
therapy of progressive malignant exophthalmos, 390*
therapy in children, followup, 586
therapy in thyroid carcinoma, survival, 378*
thyroid function, compared with ^{186}Re, in rats, 359*
thyroid hormones and iodide, chest scanning in pneumonia, 424*
thyroid imaging, 451*
thyroid trapping function, 421*
thyrotoxicosis, propanolol, 403*
thyroxin, serum T-4 assay, 565
triolein, purification, 353*
uptake, effect of thyrotropin in Graves' disease, 246
whole-body retention, measure of thyroid function, 459*

Iodine-131, albumin
blood volume, comparison with gelatin stabilized ^{113m}In, 402*
cardiac blood pool and lung imaging, 429*
cardiac output, 417*, 458*
evaluation of compressive heart disorders, 373*
lung distribution and clearance of aerosol, 361*
measurement of blood exchange, 408*
microaggregated for RES function and scanning, 453*
microaggregated, structure, 414*
microsphere labeling, 373*
pericardial effusion via combined heart-lung scan, 390*
scalp and skull content, 177
scanning agent in rheumatoid arthritis, 371*
transcapillary protein transport, 442*

Iodine-131, hippuran
autoradiography, rabbit kidney, 362*
double isotope renography with ^{125}I hippuran, 375*
kidney blood flow with camera, 411*
kidney function using a camera and computer, 418*
kidney imaging, 545
kidney visualization in renal insufficiency, 333*
radiation dosimetry, renograms, 423*
renal excretion models, 664
renal plasma flow, 735
renal tubular passage times, physiological determinants, 641
renography, comparison with urography, arteriography and function studies, 603
renography, effects of hydration and blood flow, 67
schistosomiasis, renal function, 398*

Iodine-131, macroaggregated albumin
blood flow in atelectatic lung, in dogs, 365*
complete pulmonary artery occlusion, 440*
disappearance rate from lung, 560
intra-arterial injection, for liver, 514
lung, autofluoroscope imaging, 341*
lung perfusion in embolism, 571
lung perfusion, quantitative, 409*
oblique lung imaging, 420*
pericardial effusion via combined heart-lung scan, 390*
pulmonary embolism, 331*
radiation-induced pulmonary ischemia, in mice, 347*
radioactive pulmonary emboli, 415*
regional pulmonary defects, 427*
renal blood flow by autoradiography, in rabbits, 362*
sub-phrenic abscess, 448*
ventilation-perfusion studies, 420*

Iodine-132
dosimetry, 752
thyroid uptake, 286

Iothalamate
^{131}I labeled, GFR, 297, 298

Iron-52
cyclotron production, 376*

Iron-59
bone marrow cells, post-irradiation, in rabbits, 361*
decay scheme, nuclear parameters, radiation dose, MIRD pamphlet 4
distribution and kinetics, 378*
DTPA complex, metabolism, 409*
dual labeling of erythrocytes, with ^{75}Se, in rats, 122
ferrokinetics in hypoplastic anemia, 410*
gastrointestinal absorption, in dogs, 392*
kinetics of labeled transferrin in pregnant rats, 338*
whole body scanning, 469

Isoproterenol
effect on myocardial blood flow, in dogs, 83
effect on pulmonary blood volume, 427*

Kidney
detectability of lesions, count density, 369*, 415*
excretion model ^{131}I hippuran, 664
function using $^{197}Hg\ Cl_2$, 367*
functional image from regional rate constants, by computer, 347*
^{197}Hg-chlormerodrin, hypertension by scanning, 399*
^{197}Hg and ^{203}Hg chelates, distribution, 446*
^{203}Hg-chlormerodrin excretion, in baboon, 540
^{131}I-hippuran scanning in renal insufficiency, 333*
imaging with ^{131}I-hippuran, 545
^{113m}In-chelates, preparation, 452*
K $^{56}MnO_4$ distribution, in rabbits, 205
lateral scanning view, 5-inch focus collimator, 459*
penicillamine, effect on retention of ^{203}Hg-chlormerodrin, 413*
preparation of ^{113m}In-chelate in closed system, 318*
radionuclide distribution by autoradiography, in rabbits, 362*
scintiphotography and ultrasonography for mass differtiation, 367*

Kidney, glomerular filtration rate
see Glomerular filtration rate

Kidney, renography
blood flow with ^{131}I-hippurate and ^{125}I-albumin, 411*
compared with IVP, in pediatrics, 370*
compared with urography, arteriography and function studies, 603
double isotope, 375*
evaluation methods, 40
effects of hydration and blood flow, 672
^{131}I-hippuran, computer and scintillation camera, 418*
perfusion and function, scintillation camera and computer program, 435*
plasma flow with ^{132}I-hippuran, 735
schistosomiasis, ^{131}I-hippuran, 398*
transplants, 133
tubular passage times, physiological determinants, 401*, 641
^{169}Yb-DTPA complex for function studies, 385*
Kit
sterile ^{113m}In organ specific compounds, 318*
sterile ^{99m}Tc-HSA, 328*
^{99m}Tc-albumin microspheres, 368*
^{99m}Tc-macro- and microaggregated albumin, 342*
Knee
3-D representation of isotope deposition, 388*
Krypton-81m
generator, pulmonary dynamics, 384*
Krypton-85
coronary blood flow, semiconductor detector, 345*
Leukocytes
^{32}P-DFP labeled, kinetics in chronic granulocytic leukemia, 449*
radiation-protection by cysteamine, 495
Lipid
-protein ratios, *in vitro* tissue, 366*
Liquid scintillation
counting ^{59}Fe-hemoglobin, 261
counting $^{35}SO_4^{2-}$ in plasma and urine, 284
stable liquifluor solution for ^{35}S in protein-free plasma, 263
whole-body potassium counting, 426*, 427*
Liver
activation analysis, bromine and iodine, 447*
blood exchange measured with ^{51}Cr-RBC and ^{131}I-HSA, 408*
blood flow with ^{133}Xe, in dogs, 330*
choline intake and ^{54}Mn retention, 388*
^{67}Cu metabolism in cirrhosis, 320*
^{67}Cu metabolism in Wilson's disease, 320*
effect of particle size on organ distribution, 442*
^{59}Fe deposition, whole-body scanning, 469
function studies with ^{131}I-rose bengal, 435*
^{68}Ga labeled compounds, studies in animals, 396*
Hodgkin's disease, ^{99m}Tc-S colloid imaging, 450*
intra-arterial ^{131}I-macroaggregated albumin, 514
^{131}I-polyvinylpyrrolidone (PVP) concentration, 295, 296
^{131}I-rose bengal, computer analysis of kinetics, 450*
^{131}I-rose bengal, function with camera, 445*
^{131}I, ^{99m}Tc microaggregated albumin, function and imaging, 453*
^{113m}In-Fe colloid, preparation and imaging, 597
K $^{56}MnO_4$ distribution, in rabbits, 205
^{54}Mn and ^{67}Cu absorption and retention in hemochromatosis, 402*
normal growth rate, 372*
pliability using ^{99m}Tc-S colloid, 416*
protein synthesis, post-irradiation, in rats, 351*
quantitative function with ^{113m}In colloid, 409*
sub-phrenic abscess, imaging, 448*
Liver imaging
adjunction to celiac angiography, 628
^{198}Au, with Autofluoroscope and scanner, 339*, 441*
Autofluoroscope, sequential count subtraction, 439*
false-positives, extrinsic disease, 334*
preparation of ^{113m}In colloid in closed system, 318*
^{99m}Tc dioxide, preparation and localization, 346*
^{99m}Tc-S colloid, 420*, 421*
^{99m}Tc-S colloid, cyst-tumor differentiation, 319*
Liver scanning
breathing artifacts, Dynapix and ^{99m}Tc compounds, 435*
comparison between ^{198}Au colloid and ^{99m}Tc-S colloid, 391*
dual channel scanning for focal lesions, 348*
^{113m}In-albumin aggregate, in animals, 368*
metastases with ^{198}Au, 434*
preoperative evaluation of patients with cancer, 365*
^{99m}Tc-S colloid, children, 433*
^{99m}Tc-S colloid, report of 1,000 cases, 327*
variable appearance in hepatoma, 449*
Lung
blood flow in atelectasis, in dogs, 365*
chronic obstructive pulmonary disease, residual Na, 444*
comparison of scintiphotography and angiography, 380*
comparison of scintiphotography, angiopneumography and bronchospirometry, 174
complete pulmonary artery occlusion, 440*
disappearance rate of ^{131}I-MAA, 560
dynamics using ^{81m}Kr, 384*
effects of isoproterenol on pulmonary blood volume, 427*
effect of particle size on organ distribution, 442*
fatal pulmonary embolism, 29
functional image from regional rate constants, by computer, 347*
IHSA aerosol, distribution and clearance, 361*
inhalation-perfusion studies in pulmonary embolism, 427*
inhalation scanning with ^{133}Xe in chronic obstructive airways disease, 345*
K $^{56}MnO_4$ distribution, in rabbits, 205
microcirculation defect in chronic obstructive pulmonary disease, 366*
perfusion in embolism, 571
radiation induced ischemia, in mice, 347*
radioactive pulmonary emboli, 415*
regional pulmonary dynamics, with computer, 353*, 438*
regional and quantitative perfusion, 409*
regional ventilation perfusion ratios with ^{133}Xe and ^{113m}In-Fe$(OH)_3$, 324*
^{99m}Tc Fe$(OH)_3$ preparation and scintiphotography, 683
ventilation-perfusion studies with ^{133}Xe, 331*, 355*, 374*, 412*, 418*, 420*
Lung imaging
Autofluoroscope, 341*
diverging collimator for scintiphotography, 425*
oblique with ^{131}I-MAA, 420*
rapid, 430*
sub-phrenic abscess, 448*
transmission, ^{99m}Tc point source, 439*
Lung imaging agents
^{198}Au-iron oxide aerosol, in airway obstruction, 460*
^{113m}In·Al$(OH)_3$, 377*
^{113m}In·Fe$(OH)_3$, in closed system, 318*
^{113m}In·Fe$(OH)_3$, using indicators, 633
^{113m}In-MAA, 368*
^{68}Ga-Fe$(OH)_3$ macroaggregates, 328*
^{68}Ga labeled compounds, studies in animals, 396*
^{99m}Tc-albumin microspheres, 368*, 432*
^{99m}Tc-macroaggregated thionin, 117, 454*
^{99m}Tc-MAA, 394*
^{99m}Tc-S colloid plus HSA, 621
$^{99m}Tc_2S_7$ macroaggregates, 402*
Lung scanning
^{51}Cr-RBC, idiopathic pulmonary hemosiderosis, 106, 433*
emphysema, α-1-antitrypsin deficiency, 687
new display system for serial scans, pulmonary embolism, 373*
patient position for AP view, 400*

pericardial effusion via combined heart-lung scan, 390*
^{99m}Tc-Fe(OH)$_3$, 737
transmission, ^{99m}Tc tank source, 381*
Lutetium-177
bone imaging, 363*
HEDTA complex, bone imaging, in rabbits, 49, 320*
Lymph node
irradiation with labeled metallohematoporphyrins, 333*, 581
scanning mediastinal, 749
Lymph node system
^{99m}Tc-sulfur colloid, visualization in rabbits, 390*
scintiphotography with ^{111}In colloid, 337*
Lymphocytes
^{51}Cr chromate labeled, kinetics, 404*
metabolic fate, ^{125}I- and ^{131}I-labeled, in rats, 327*
^{75}Se-selenomethionine test for globulin synthesizing capacity, *in vitro*, 63
Macroaggregated albumin
see Iodine-131, macroaggregated albumin; Technetium-99m
Manganese-54
absorption and retention in hemochromatosis, 402*
retention, relationship to choline intake in rats, 388*
Manganese-56
K ^{56}MnO$_4$ distribution, in rabbits, 205
Mannitol
^{3}H labeled for GFR, 411*
stabilization of ^{99m}Tc-S colloid, 607
Mathematical model
quantification of physiological systems, 405*
Medical imaging department
radiography, radioisotope and ultrasound scans, thermography, 426*
Medical Internal Radiation Dose Committee
absorbed fraction, MIRD Pamphlet #5
decay schemes and nuclear parameters, MIRD Pamphlet #4
Melanoma
concentration of ^{125}I analogs, 448*
^{125}I- and ^{131}I-chloroquine, distribution, 323*
^{131}I-chloroquine, therapy, in dogs, 354*
Mercury-197
chelates, distribution and kidney function, 446*
chloride, kidney, 367*
decay scheme, nuclear parameters, radiation dose, MIRD pamphlet 4
MHP damaged RBC's for splenic function, 615
Mercury-197, chlormerodrin
brain lesions, tissue vascularity, 553*
brain scanning arteriovenous malformations, 413*
evaluation, renovascular hypertension, 399*
kidney visualization in renal insufficiency, 333*
Mercury-203
BMHP for splenic function, 410*
chelates, distribution and kidney function, 446*
decay scheme, nuclear parameters, radiation dose, MIRD pamphlet 4
Mercury-203, chlormerodrin
autoradiography, rabbit kidney, 362*
delayed brain imaging, 423*
D-Penicillamine treatment, effect on kidney retention, 413*
kidney excretion, in baboon, 540
Metastatic prostatic cancer
^{32}P treatment, a new method, 430*
Methacholine
effect on pulmonary blood volume, 427*
Microfilm
computer compatible records system, 562
Microspheres
amylose, preparation and ^{99m}Tc labeling, 373*
gelatin, preparation and ^{99m}Tc labeling, 373*
Microspheres, albumin
^{113m}In labeling, 487
preparation; ^{131}I and ^{99m}Tc labeling, 373*
^{99m}Tc-labeled, lung imaging, 432*
^{99m}Tc labeled, transpulmonary shunting, 344*
^{99m}Tc labeling, 368*
Millipore filtration
quality control of ^{99m}Tc-sulfur colloid, 399*
Modulation transfer function
comparison of scanner and scintillation camera, 359*
figure of merit for imaging systems, 431*
response of collimators to a line source, 394*
scattered radiation from ^{125}I, 417*
scintillation camera with diverging collimator, 337*
Molybdenum-99
detection in separated ^{99m}Tc, 517
elution of ^{99}Mo-^{99m}Tc generator, 461*, 550
Monoiodotyrosine
chromatographic separation, 722
Muscle
blood flow, functional image, 347*
Neohydrin
see Mercury-197, chlormerodrin; Mercury-203, chlormerodrin
Neutron activation analysis
liver, bromine and iodine, 447*
nitrogen and proteins, in mice, 192
trace elements in fingernails, 730
whole-body calcium, 360*
Neutron-capture therapy
RBE of heavy ionizing particles, 329*
Nitrogen
total-body content by neutron activation analysis, in mice, 192
Nitrogen-13
cyclotron production, 376*
diamond dust, effect of particle size on organ distribution, 442*
Norepinephrine
effect on myocardial blood flow in dogs, 83
Nuclear medicine
computer assisted instruction, 339*
Oxygen-15
cyclotron production, 376*
Palladium-103
decay scheme, nuclear parameters, radiation dose, MIRD pamphlet 4
Palladium-109
hematoporphyrin for lymphatic irradiation, 333*
Pancreas
angiography with ^{99m}TcO$_4^-$, in dog, 389*
dual-channel scanning, ^{198}Au and ^{75}Se-selenomethionine, 78, 155
^{125}I labeled phenylalanine analogs, uptake, in dogs, 398*
^{125}I-phenylalanine, in mice, 219
liver subtraction, 459*
radioimmunoassay of pancreozymin using ^{131}I, 743
^{75}Se-L-selenocystine and ^{75}Se-DL-meso-selenocystine metabolism, 575
^{75}Se-selenomethionine imaging, 430*
^{75}Se-selenomethionine scanning in diabetic patients, 453*
Parathyroid
^{125}I-phenylalanine analogs, uptake, in dogs, 398*
^{75}Se-selenomethionine distribution in hyperparathyroidism, in dogs, 363*
Pediatrics
bone marrow imaging, ^{99m}Tc-S colloid, in thalassemia, 351*
^{131}I-therapy for hyperthyroidism, followup, 586
liver scanning with ^{99m}Tc-S colloid, 433*
premedication for ^{99m}TcO$_4^-$ brain scanning, 254
renogram compared with IVP, 370*
scintiphotography of central circulation dynamics, 338*

Penicillamine
effect on kidney retention of ^{203}Hg-chlormerodrin, 413*
Perchlorate
effect on compartmental distribution of $^{99m}TcO_4^-$, 424*
effect on $^{99m}TcO_4^-$ clearance from thyroid, 637
Phantom
branched system, for flow rates, 525
depth discrimination, double isotope technique, 188
design for dynamic function, 416*
mathematical, estimation absorbed dose, MIRD Pamphlet #5
Phenylalanine
^{125}I, distribution, in mice, 219
^{125}I-labeled analogs, uptake in parathyroid and pancreas, in dogs, 398*
Phosphorus-32
cancer detection, semiconductor detector, 345
cardiac output using semiconductor catheter detector, 713
decay scheme, nuclear parameters, radiation dose, MIRD Pamphlet #4
DFP leukokinetics in chronic granulocytic leukemia, 449*
therapy, bone metastases, 376*
therapy, metastatic prostatic cancer, 430*
therapy, polycythemia vera, 392*
Photography
record-keeping system for scintillation camera images, 460*
selection of polaroid film for scintiphotography, 127
Placenta
imaging with ^{113m}In gelatin complex, 324*
$^{99m}TcO_4^-$ scanning with 10-crystal detector, 449*
Plasma
see Blood plasma
Plasmaphoresis
treatment of thyrotoxic crisis, 319*
Platelet
aggregation in polycythemia vera, determining therapy, 392*
^{51}Cr-labeled, life span and production, 395*, 426*
Pneumonia
chest scanning with ^{131}I-thyroid hormones, $^{131}I^-$, $^{99m}TcO_4^-$, 424*
Polyvinylpyrrolidone (PVP)
^{131}I labeled, retention and storage sites, 295, 296
Potassium-40
whole-body concentration in Duchenne muscular dystrophy, 1
whole-body counting, liquid-scintillation, 426*, 427*
Potassium-42
decay scheme, nuclear parameters, radiation dose, MIRD pamphlet 4
myocardial blood flow, 437*
residual Na in chronic obstructive pulmonary disease, 444*
President's letter
annual meeting, 149, 663
Board of Nuclear Medicine, 55, 257, 663
bylaws, 257
Society of Nuclear Medicine Education and Research Foundation, 257
technology training program, 149, 663
Propanolol
thyrotoxicosis, ^{131}I treatment, 403*
Prostate gland
^{69m}Zn dosimetry for scanning, 336*
Protein
-lipid ratios, *in vitro* tissue, 366*
synthesis in irradiated liver, in rats, 351*
total-body content by neutron activation analysis, in mice, 192
Protein-bound iodine (PBI)
compared with serum thyroxine assay, 160
Pulmonary function
see Lungs
Quality control
^{99m}Tc-sulfur colloid, Millipore filtration, 399*
Radiation
effects of supralethal irradiation through parabiosis, 328*
effect on DNA synthesis, 624
effect on monocarbon fragment transport, 424*
Radiation arthritis
tolerance of articular cartilage, 433*
Radiation damage
bone and bone marrow, therapy, 320*
marrow RE cell and erythron, in rabbits, 361*
protein synthesis in liver, in rats, 351*
pulmonary ischemia, in mice, 347*
radiation-protection of leukocytes by cysteamine, 495
x-radiation effects on mouse fetus, 68
Radiation dose
hand, from ^{99m}Tc, 423*, 732
Radiation therapy
^{47}Ca kinetics in bone metastases, 338*
Radioautography
see Autoradiography
Radiocardiogram
see Heart
Radiography
correlation with brain scintiphotography, 419*
Radioimmunoassay
gastrin in human serum using antiserum, 746
^{131}I, pancreozymin and cholecystokinin in human serum, 743
Radiopharmaceuticals
assay, 147
^{131}I capsule count variation, effect on thyroid uptake, 461*
inventory by computer, 405*
NIH Radiopharmaceutical Service, 612
quality-control system, 558
M.S. program at Univ. S. Calif., 383*
Red blood cells
^{51}Cr-labeled, double tag blood volume, ^{125}I-albumin, 400*
^{51}Cr labeled, heat-denatured, for spleen scanning, 480
dual-labeling with ^{75}Se and ^{59}Fe, in rats, 122
^{197}Hg-MHP damaged, splenic function, 615
spleen trapping, 391*
Red-cell mass
use of total body hematocrit, 350*
Red-cell survival
change in spaceflight, 346*
Relative biological effect
^{10}B-neutron capture therapy, 329*
Renal, renography
see Kidney, renography
Renin
radioimmunoassay of angiotensin II, 347*
Resolution
contrast efficiency function of scanners, 433*
Reticuloendothelial system
distribution of colloids, electrophoretic mobility, 387*
effect of particle size on organ distribution, 442*
^{99m}Tc-sulfur colloid, H_2S preparation, 386*
Rhenium-186
thyroid function, in rats, 359*
Rheumatoid arthritis
radiogold instillation, 433*
Rose bengal, ^{131}I labeled
computer analysis of kinetics, 450*
hepatogram, 435*
liver and gallbladder function, 445*
liver scanning, 628
Rose bengal retention test
comparison with BSP test, 416*
Rubidium-81
generator for ^{81m}Kr, 384*

Rubidium-84
coronary blood flow, 336*, 417*
myocardial blood flow, in dogs, 83
Rubidium-86
clearance by myocardium, 702
tumor and organ growth, 440*
whole-body metabolism in Duchenne muscular dystrophy, 1
Salivary glands
$^{99m}TcO_4^-$, for scanning, 334*
Samarium-153
bone imaging, 363*
HEDTA complex for bone imaging, in rabbits, 49
Scanner
comparison with angiography and scintillation camera, for brain tumor, 349*
comparison with scintillation camera, for brain, 359*
computer focusing, differential-operator method, 209
contrast efficiency function, spatial resolution, 433*
effects of MTF and quantum fluctuation, 359*
eight detector, cerebral blood flow, 164
empirical quantitative measurement of uptake, 265
magnetic tape and CRT accessories, 436*
sixteen detector, cerebral blood flow, 164
Scanner, dual channel
brain, 155
brain and cisternal system, 348*
depth discrimination, 188
focal lesions in liver, 348*
pancreas, 78, 155
Scanning
see also, Specific organs
breathing artifacts in liver visualization, 435*
center of activity with dual head, 404*
computer simulation, 416*
detectability of lesions, function of count density, 415*
Dynapix, optimizing brain scans, 456*
line spacing and time-constant selection, 414*
liver imaging with ^{198}Au, 441*
thermal and radionuclide, 446*
two dimensional image analysis, 340*
Schilling test
plasma level of ^{57}Co-vitamin B_{12}, 457*
Schistosomiasis
^{131}I-hippuran renal function; ^{60}Co-vitamin B_{12} GFR, 398*
Selenium
metabolism during vitamin-E deficiency, 441*
Selenium-75
counting with ^{125}I in the same sample, 46
decay scheme, nuclear parameters, radiation dose, MIRD pamphlet 4
distribution of Se-carboxylic acids, 439*
L-selenocystine and DL-meso-selenocystine metabolism, 575
uptake of selenocystine in hypothalamus, in dogs, 321*
Selenium-75, selenomethionine
distribution and concentration, in man, 709
distribution in hyperparathyroidism, in dogs, 363*
dual-channel brain scanning with $^{99m}TcO_4^-$, 155
dual channel pancreas scanning, 78, 155
dual-labeling of RBC's with ^{59}Fe, in rats, 122
focal lesions of liver, dual-channel scanning, 348*
globulin-synthesizing capacity of lymphocytes, *in vitro*, 63
liver subtraction in pancreas scanning, 459*
pancreas imaging, 430*
pancreas scanning in diabetic patients, 453*
protein synthesis in liver, post-irradiation, in rats, 351*
tumor and organ growth, 440*
uptake in cold thyroid nodules, 452*
visualization of myocardium, 155
Selenocystine
^{75}Se labeled, uptake in hypothalamus, in dogs, 321*
Serine
human folate and vitamin B_{12} deficiency, 329*
Siamese twins
isotope studies, 370*
Silver-111
hematoporphyrin for lymphatic irradiation, 333*
Sodium-22
residual Na in chronic obstructive pulmonary disease, 444*
space studies following cardiac surgery, 407*
Sodium-24
decay scheme, nuclear parameters, radiation dose, MIRD Pamphlet #4
determination in fingernails, 730
water intake, in dolphins, 375*
Sodium borohydride
labeling with ^{99m}Tc, 443*
Soft tissue analogs
physiochemical, time-dose effects in therapy, 398*
Soft tissue tumor
^{67}Ga uptake, 103, 332*, 406*
Spinal cord
dosimetry, ^{131}I-HSA cisternography, 340*
Spleen
^{51}Cr labeled, ACD damaged RBC's, 357*
^{51}Cr labeled, heat denatured RBC's, 480
dual-labeled erythrocytes, in rats, 122
effect of particle size on organ distribution, 442*
function with ^{51}Cr-RBC and ^{203}Hg-BMHP, 410*
^{197}Hg-MHP damaged RBC's, functional capacity, 615
Hodgkin's disease, ^{99m}Tc-S colloid imaging, 450*
^{131}I, ^{99m}Tc microaggregated albumin, 453*
^{113m}In-Fe colloid, preparation and imaging, 597
preparation of ^{113m}In colloid in closed system, 318*
quantitative function with ^{113m}In colloid, 409*
RBC morphology and electrophoretic mobility, 391*
sequestration of RBC, whole-body scanning with ^{59}Fe, 469
Stereoscintiphotography
brain and thyroid, 326*
Strontium-85
bone scan interference by oral barium, 145
bone scanning, comparison with ^{18}F, ^{47}Ca, ^{87m}Sr and ^{68}Ga, 8
bone scanning for metastatic carcinoma, 429*
comparison with ^{87m}Sr bone scanning, 491
decay scheme, nuclear parameters, radiation dose, MIRD Pamphlet #4
osteoarthritis of the knee, 109
spondylitis, comparison of analytic procedures, 213
Strontium-87m
bone scanning, comparison with ^{18}F, ^{47}Ca, ^{85}Sr and ^{68}Ga, 8
comparison with ^{85}Sr bone scanning, 491
decay scheme, nuclear parameters, radiation dose, MIRD Pamphlet #4
Strontium-90
decay scheme, nuclear parameters, radiation dose, MIRD Pamphlet #4
Sulfur-35
methionine, post-irradiation protein synthesis in liver, in rats, 351*
protein free plasma, liquifluor solution for counting, 263
$^{35}SO_4^{2-}$ determination in plasma urine, 284
water space studies following cardiac surgery, 407*
Sulfur colloid
see Technetium-99m, sulfur colloid
T-4
see Thyroxine
Table
low cost, for scanning, 709
Technetium-99m
aerosol, inhalation scanning, 427*
albumin, distribution and dosimetry in pregnancy, 224

albumin, "kit" for sterile labeling, 328*
albumin labeling, 454*
albumin, sub-phrenic abscess, 448*
albumin macroaggregates, kit, 342*
albumin macroaggregates, lung scanning, 394*
albumin macroaggregates, lung scintiphotography, 374*
albumin macroaggregates, thrombophlebitis, 377*
albumin microaggregates, breathing artifacts, elimination in liver scanning, 435*
albumin microaggregates, kit, 342*
albumin microaggregates, RES function and scanning, 453*
albumin microspheres, kit, 368*
albumin microspheres, lung imaging, 432*
albumin microspheres, transpulmonary shunting, 344*
cisternography with labeled agents in monkeys, 321*
collimator selection for scintillation camera brain imaging, 297
decay scheme, nuclear parameters, radiation dose, MIRD Pamphlet #4
detection of ^{99}Mo in milk, 517
dioxide, liver scanning, 346*
DTPA, autoradiography, rabbit kidney, 362*
elution of ^{99}Mo-^{99m}Tc generator, 461*, 550
gamma radiation absorption by skull in brain imaging, 184
hand radiation exposure, 423*, 732
iron colloid for bone marrow imaging, in rabbits, 56, 737
iron hydroxide macroaggregates, preparation and lung scintiphotography, 683
labeling method using Na borohydride, 443*
lung imaging with macroaggregated thionin, 117, 454*
lung, preparation of Tc-S+HSA, 621
point source for transmission imaging, 252, 439*
preparation of metabolizable labeled microspheres, 373*
Tc_2S_7 macroaggregates, lung imaging in animals, 402*

Technetium-99m, pertechnetate
bone joint scintiphotography, 356*
brain blood flow, with autofluoroscope, 501
brain blood flow, in CVA, 355*, 401*, 438*
brain blood flow with scintillation camera, 324*, 339*, 355*, 358*, 401*, 438*, 443*
brain imaging, compared to ^{113m}In-chelates, 18, 290
brain, optimal dose-to-scan interval, 34
brain scanning, arteriovenous malformations, 413*
brain scanning, delayed, 423*
brain scanning, effect of tantalum skull plate, 140
brain scanning, optimizing with Dynapix, 456*
brain scanning, subdural hematoma, 322*
brain scanning, tissue vascularity, 553
cardiac blood flow, 270*
cardiac blood flow, mitral valve disease, 357*
cardiac blood flow, pericardial effusion, 233
cardiac blood flow, R to L shunts, 344*
cardiac blood flow, ventricular and aortic disease, 351*
central circulation dynamics, in children, 338*
chest scanning in pneumonia, 424*
choroid plexus, echoencephalography, 403*
compressive heart disorders, 373*
coronary blood flow, in dogs, 323*
dual-channel scanning with ^{75}Se-selenomethionine, 155
gastric secretion, 367*
hydrocephalus, treatment, 322*
identification of gamma rays originating external to skull, 740
pancreas angiography, in dogs, 389*
perchlorate effect on compartmental distribution, 350*, 424*
pericardial effusion diagnosis, 430*
placenta, scanning with 10-crystal detector, 449*
post-irradiation bone marrow blood flow, in rabbits, 361*
salivary glands, scanning, 334*
scalp and skull content, 177
spinal tumor detection, 508
thoracic scintiphotography, 332*
thyroid blocking agents, an evaluation, 462*
thyroid clearance, effect of perchlorate, 637
thyroid imaging, 451*
thyroid trapping function, 421*
thyroid uptake, extrathyroidal neck activity, 483
transmission scanning, lung, 381*
uptake in brain tumor cell cultures, 349*
yields from generators, 456*

Technetium-99m, sulfur colloid
acid reduction, preparation and distribution, 319*
bone marrow cell function, post-irradiation, 361*
bone marrow imaging for radiation damage, 320*
bone marrow imaging, in thalassemia, in children, 351*
H_2S preparation, RES scanning, 319*, 386*
liver imaging, 420*, 421*, 628
liver imaging, Autofluoroscope, 439*
liver imaging, false-positives, 334*
liver pliability, 416*
liver scanning, children with removed extrahepatic cancers, 433*
liver scanning, comparison with ^{198}Au, 391*
liver scanning, elimination of breathing artifacts, 435*
liver scanning, report of 1,000 cases, 327*
liver scintiphotography, cyst-tumor differentiation, 319*
lymph-node system visualization, in rabbits, 390*
quality control, Millipore filtration, 399*
stability and autoclaving, 395*
stabilized with HSA, 294, 461*
stabilized with mannitol, 607
sub-phrenic abscess, 448*

Technologist
establishing a good relationship with the patient, 458*

Television
point to point, aid to service in remote areas, 380*
^{131}I label, distribution, in cats, 697

Therapy
^{131}I-chloroquine, malignant melanoma, in dogs, 354*
^{131}I, hyperthyroidism, in children, followup, 586
^{131}I, large initial dose, 341*
^{131}I, progressive malignant exophthalmos, 390*
^{131}I, thyroid carcinoma, survival, 378*
^{32}P or alkylating agents, platelet aggregation in polycythemia, 392*
soft tissue analogs, time-dose effects, 398*

Thiamine
deficiency test, in rats, 362*

Thionin
^{99m}Tc labeled macroaggregates, lung imaging, 454*

Thorax
scintiphotography, acute mediastinal obstruction, 332*

Three dimensional imaging
thyroid, data averaging and computer analysis, 393*

Three dimensional scanning
nonfocused collimator channel systems, 391*

Thrombophlebitis
imaging with ^{99m}Tc-albumin macroaggregates, 379*

Thymidine
^{3}H labeled, proliferative activity of bone marrow cells, 410*
incorporation into DNA, effect of radiation, 624

Thymol blue
indicator for ^{113m}In·Fe(OH)$_3$ preparation, 633

Thyroid
autoradiography of "hot" nodule, ^{125}I and ^{131}I, 691
blocking $^{99m}TcO_4^-$ uptake, 462*
carcinoma causing thyrotoxicosis, 454*
carcinoma, survival in ^{131}I therapy cases, 378*
comparison of assays, serum thyroxine and PBI, 160
computer interpretation of distribution patterns, 618
^{131}Cs, determination of tumor malignancy, 378*
determination of serum thyroxine, 428*

extra-thyroidal neck activity, 52, 483
function with 24 hr uptake, T_3 and T_4, 405*
^{123}I and Ge(Li) detector, 136
^{125}I scanning, effect of ^{124}I contamination, 457*
^{131}I and ^{186}Re, in rats, 359*
^{131}I- and $^{99m}TcO_4^-$ imaging, 451*
^{131}I therapy, followup on children, 586
^{131}I uptake, digital computer estimation from scintiscan matrices, 258
^{131}I uptake, diuretic augmentation, 340*
^{132}I uptake, 286
lateral scanning view, 5-in. focus collimator, 459*
minimum activity ^{131}I required for uptake, 475
normal growth rate, 372*
propanolol and ^{131}I treatment, 403*
pyramidal thyroid lobe, 519
radioimmunoassay of thyrotropin, 356*
^{75}Se-selenomethionine concentration in cold nodules, 452*
serum thyroxine assay, 565
stereoscintiphotography, 326*
$^{99m}TcO_4^-$ clearance, effect of perchlorate, 637
thyrotoxic crisis treated by plasmaphoresis, 319*
thyrotropin and ^{131}I uptake in Graves' disease, 246
trapping function, 421*
uptake, effect of ^{131}I capsule count variations, 461*
whole body ^{131}I retention, quantitative function, 459*

Thyroid hormones
^{131}I labeled for chest scanning in pneumonia, 424*

Thyroid scanning
computer analysis and data averaging, 393*

Thyrotoxicosis
propanolol and ^{131}I treatment, 403*

Thyrotropin
effect on ^{131}I uptake in Graves' disease, 246
radioimmunoassay, 356*

Thyroxine
analysis of thyroxine binding proteins, 532
binding capacity of serum, effect of coumadin, 511
chromatographic separation, 722
comparison radioisotope and column chromatography assay methods, 281
determination in serum, 428*, 565
direct determination by isotope exchange, 374*
serum thyroxine assay compared with PBI, 160

Tin-113
hematoporphyrin for lymphatic irradiation, 333*

α-Tocopherol
metabolism during vitamin-E deficiency, 441*

Toluidine blue
^{125}I labeled, distribution in rat, 386*
potential for imaging myocardial infarcts, 413*

Tomography
^{11}C-carboxylic acids for imaging, 382*
comparison with scintiphotography, 356*
eight-detector mapping system, 363*
method evaluation, 358*
scintillation camera, theoretical considerations, 654

Toxicology
long term effects of In administration, 447*

Training
master's program in radiopharmacy, 383*

Transferrin
^{59}Fe and ^{113m}In labeled, kinetics in pregnant rats, 338*

Transmission
camera and rectilinear scanning, lung, 381*
imaging, positioning for cerebral blood flow, 708
rectilinear scanning for bone mineral content, 379*
rectilinear scanning, ^{99m}Tc point source, 252

Transport
transcapillary, labeled proteins, 442*

Tritium
decay scheme, nuclear parameters, radiation dose, MIRD pamphlet 4
mannitol for GFR, 411*
metabolism of selenium and α-tocopherol, 441*
residual Na in chronic obstructive pulmonary disease, 444*
thymidine, proliferative activity of bone marrow cells, 410*
water space studies following cardiac surgery, 407*

Tryptophane
^{14}C- and ^{131}I labeled, distribution, 342*

Tumor
brain sarcoma, effect of perchlorate on $^{99m}TcO_4^-$ concentration, 350*
growth, ^{75}Se-selenomethionine and ^{86}Rb Cl, 440*
^{111}In localization, in rats, 343*
scanning with ^{67}Ga-citrate, 103, 332*
spinal, with $^{99m}TcO_4^-$, 508
uptake of ^{51}Cr-β-glycerophosphate, in rats, 318*

T-3
chromatographic separation, 722
effect of coumadin, 511

Ultracentrifuge
colloid particle-sizing, 387*

Ultrasound
kidney mass differentiation, combined with scintiphotography, 367*
pericardial effusion, ^{131}I-MAA and ^{131}I-HSA imaging, 429*

Uptake
^{14}C-cholesterol in adrenal cortex, in dogs, 387*
empirical quantitative measurement from scans, 265
^{67}Ga in soft tissue tumors, 406*
^{131}I, effect of thyrotropin in Graves' disease, 246
^{131}I thyroid, digital computer estimation from scintiscan matrices, 258
minimum activity ^{131}I required for thyroid study, 475
^{123}Sb, distribution and retention, in mice, 436*
^{75}Se-selenomethionine, in man, 709
thyroid, effect of ^{131}I capsule count variations, 461*
^{69m}Zn in prostate, 336*

Vitamin B_{12}
deficiency, oxidation of beta-carbon of serine, 329*
Schilling test and plasma level, 457*
uptake measured with whole-body counter, 431*

Vitamin E
metabolism of Se and α-tocopherol, 441*

Whole body
neutron activation analysis for calcium, 360*
potassium, normal ranges, 365*

Whole-body counting
^{64}Cu, gastrointestinal absorption, 591
^{67}Cu turnover, Wilson's disease, 451*
^{131}I retention as a measure of thyroid function, 459*
^{40}K and ^{137}Cs, 4π liquid-scintillation, 426*
^{40}K in hypertension, 427*
^{54}Mn absorption and retention in hemochromatosis, 402*
potassium concentration and ^{86}Rb metabolism, 1
scatter-window method, 335*
vitamin B_{12} uptake, 431*

Whole-body scanning
^{59}Fe, distribution, 469

Wilson's disease
total body turnover of ^{67}Cu, 451*

Xenon-133
cerebral blood flow, eight- and sixteen-detector scanners, 164
cisternography, in monkeys, 321*
gamma radiation absorption by skull in brain imaging, 184
inhalation, pulmonary function, 345*
liver blood flow, in dogs, 330*
myocardial blood flow, 412*
ocular blood flow, 333*
renal blood flow by autoradiography, in rabbits, 362*

ventilation and perfusion, 324*, 355*, 412*, 418*, 420*, 428*
ventilation studies with scintillation camera, 374*
X-radiation
effect on mouse fetus, 68
lipid-protein ratios, *in vitro* tissue, 366*
radiation-protection of leukocytes by cysteamine, 495

Yetterbium-169
brain scanning with DTPA complex, 335*
kidney function with DTPA complex, 385*
metabolic studies in rabbits, 396*
Yttrium-90
hematoporphyrin for lymphatic irradiation, 333*
hematoporphyrin complex, lymph node localization, in dogs, 581
Zinc-69m
prostate scanning and dosimetry, 336*
Zirconium-95
marker, gastrointestinal absorption of copper, 591

THE SOCIETY OF NUCLEAR MEDICINE
17th ANNUAL MEETING

July 6–12, 1970 **Sheraton Park Hotel** **Washington, D.C.**

ANNOUNCEMENT AND CALL FOR ABSTRACTS FOR SCIENTIFIC PROGRAM

The Scientific Program Committee welcomes the submission of abstracts of original contributions in nuclear medicine from members and nonmembers of the Society of Nuclear Medicine. Papers will be considered on the following subjects:

Clinical Diagnosis
Clinical Investigation
Radiation Biology
Radiopharmaceuticals
Radioisotope Therapy
Nuclear Instrumentation
Basic Science Aspects of Nuclear Medicine

Papers will be selected for presentation at plenary sessions as well as at scientific section meetings. In addition, there will be a few papers selected for brief works-in-progress reports. The deadline for receipt of these will be announced at a later date. All regular abstracts must be postmarked no later than February 15, 1970.

GUIDELINES FOR SUBMITTING ABSTRACTS:

Abstracts *must* be submitted in the following format to receive consideration. Abstracts are to be typed on the official abstract form which can be obtained from a member of the Society or by writing The Society of Nuclear Medicine, 211 East 43rd Street, New York, New York 10017. Five copies must be submitted.

Each abstract *must* contain the name(s) of the author(s), the institution(s) and the mailing address of the author presenting the paper. Underline the name of the author who will present the paper.

Each abstract *must* contain the following information in this order:

1. Purpose of the study
2. Methods used
3. Results with pertinent supporting data
4. Conclusions.

Abstracts that are accepted will be published in the June 1970 issue of *The Journal of Nuclear Medicine*.

So that each work will receive maximum consideration, authors are urged to submit to the Scientific Program Committee supplementary data (charts, graphs, figures, tables, etc.) supporting their abstracts. This material will not be published.

Send the official abstract form and the five copies to:

E. James Potchen, M.D.
Chairman, Scientific Program Committee
Mallinckrodt Institute of Radiology
Washington University School of Medicine
St. Louis, Missouri 63110

DEADLINE: February 15, 1970